Hispanic Births in Massachusetts 1996-1999

Volume II: Selected City and Town Data

Jane Swift, Governor
Robert P. Gittens, Secretary of Health and Human Services
Howard K. Koh, MD, MPH, Commissioner of Public Health
Daniel J. Friedman, Ph.D., Assistant Commissioner, Bureau of Health Statistics,
Research and Evaluation
Brunilda Torres, LICSW, Director, Office of Minority Health

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
Bureau of Health Statistics, Research and Evaluation
250 Washington Street
Boston, MA 02108
617-624-5600

November, 2001

To obtain additional copies of this report, contact the following office:

Massachusetts Department of Public Health Bureau of Health Statistics, Research and Evaluation 250 Washington Street, Boston, MA 02108 (617) 624-5699

This and other Massachusetts Department of Public Health publications and materials can be accessed on the Internet: www.state.ma.us/dph/

MassCHIP (DPH's Internet-accessed data warehouse) Tel: 1-888-MASSCHIP (Mass only) (617) 624-5541 http://masschip.state.ma.us/

Technical Foreword

Focus of this report

This is a report about Hispanic births in Massachusetts, including all births from 1996-1999 to women residing in Massachusetts who identified their ancestry on the birth certificate as one of the following: *Puerto Rican, Dominican, Mexican, Cuban, Colombian, Salvadoran, Other Central American, Other South American, or Other Hispanic.* Volume I contains graphs, tables and accompanying narrative, which highlight the key findings at the state level. Volume II contains data for Massachusetts cities and towns with more than 200 Hispanic births over the four-year period. The comparison group for these analyses is White non-Hispanic mothers. Note that the ethnicity of an infant is based upon the self-reported ethnicity of the infant's mother. The use of the term "Hispanic" was chosen to be consistent with statistics on ethnicity compiled by the federal government and other government agencies.

The purpose of this report is to provide data describing characteristics of births to Hispanic mothers in Massachusetts. It is not within the scope of this report to provide more complex analyses of birth outcomes among women of Hispanic ancestries. As such, this report does not provide measures of statistical significance. Rather, this report presents important baseline data on perinatal health outcomes of Hispanic mothers and infants in Massachusetts for 1996-1999.

The first edition of the report "Hispanic Births in Massachusetts", published in 1989, covered 18 months of birth data from July, 1986 to December, 1987. "Volume I: Facts and Figures" presented state-level data, and "Volume II: City Data Book" presented data for the 10 largest Hispanic communities. Since the late 1980s, the number of annual births among all Hispanic ancestries has increased considerably in Massachusetts, from approximately 5,430 in 1987 to 8,815 in 1999.

The *Hispanic Births Report Task Force*, comprising representatives from the community of Hispanic health service providers and researchers, considered options for which ancestry groups to include for the report that would provide the maximum amount of information for program planners, community advocates and policy makers throughout the Commonwealth. We have used data for all subgroups where there were an adequate number of births to support the analysis. We have combined categories on some city tables, creating a Central American category (Salvadoran plus Other Central American) and including smaller subgroups in the Other Hispanic category. In addition, the Task Force recommended providing analysis by mother's birthplace and combining the mother's language preference and mother's birthplace variables to construct a crude acculturation measure.

The three categories presented for mother's birthplace are: U.S., Puerto Rico & U.S. Territories, and Non-U.S. Mothers born in Puerto Rico and U.S. Territories are U.S. citizens, and as citizens, once in the continental U.S., have access to the full range of programs available to U.S.-born individuals. Chapter 7 further explores differences in

birth outcomes between categories of mothers defined by their birthplace and language preference among Puerto Rican, Dominican, Central American, South American and Other Hispanic mothers. In this chapter only, birthplace categories were limited to continental U.S.-born and non-continental U.S.-born because of the small numbers of Puerto Rican mothers born outside the U.S. and Puerto Rico, and the small numbers within other Hispanic groups born in U.S. Territories. In the case of Puerto Rican mothers, we were interested in comparing mothers born in Puerto Rico (51%) to mothers born in the Continental U.S. (48%). Although Puerto Rico and other U.S. Territories are part of the United States and people born there are U.S. citizens, the socio-economic and cultural experience of people born in Puerto Rico and other U.S. Furthermore, these different experiences are associated with differentials in perinatal outcomes.

NOTE: For the purpose of this report, the term "Continental U.S.-born" and "Mainland U.S.-born" are interchangeable. The term "Continental US-born" is more consistent with other published materials and includes women born in all 50 States and the District of Columbia.

Changes in birth data

In 1996, Massachusetts implemented a major revision to the birth certificate form and installed a new Electronic Birth Certificate (EBC) system in Massachusetts maternity hospitals. As a result, beginning with 1996 birth data, there is new information that was previously not available (such as the mother's language preference) as well as greater specificity in some of the data elements which more correctly reflects the populations under study. However, the transition to the new format affected several data elements, and not all data elements presented in this report can be compared precisely with previously published data. *Hispanic Births in Massachusetts: 1996-1999* presents, as closely as possible, natality data in a form that is consistent with data from 1995 and previous years. Changes reflected in the calculation of the Kessner Adequacy of Prenatal Care Index make comparison of data for prenatal care presented in this report to data prior to 1996 inappropriate. Other data items are comparable over time, but may be affected by minor changes in data collection, recording, and coding.

Notes on Data Sources

All of the information on Massachusetts births contained in this report is based upon data from the Massachusetts certificate of live birth. This report provides data on the 9 detailed Hispanic ancestry groups, which mothers select themselves on their infants' birth certificates.

There are a few limitations to using 1990 and 2000 census data. Although the 1990 census data are the most recent data currently available for age, education and socioeconomic status, they do not reflect changes in the population during the past 10

years. Second, there are known inaccuracies in census counts, including for Hispanics. The net undercount is one measure of this inaccuracy. There are two approaches to measuring the undercount¹. One method uses birth and death records, immigration records and previous censuses to estimate the true population. This estimate is compared to the census count to measure the difference. The Census Bureau also conducts special surveys to measure the undercount. A scientific sample of census blocks are reinterviewed independently of the census enumeration. The results of these interviews are checked against the census records on an individual basis to see who was missed and who was counted in error. However, underlying the steady improvement in the national average undercount is a persistent differential undercount for Hispanic Americans, Native Americans, Blacks, and Asian and Pacific Islanders. These groups tend to be undercounted more than White non-Hispanics due to social and geographic factors. The Census Bureau estimated the 1990 net undercount in Massachusetts to be 0.5% but there were significant differences among minority groups. It was estimated that the undercount of Hispanics in Massachusetts was 5.5%, while Whites were overcounted by 0.1%. Information on the estimated 2000 net undercount in Massachusetts was not available when this report was released.

^{1. 1993} Research Conference on Undercounted Ethnic Populations. U.S. Bureau of the Census web page, http://www.census.gov/ dmd/www/pdf/understate.pdf.

Table of Contents

Technical Foreword	v
Community Tables	1
Boston	2
Worcester	10
Chelsea	14
Lynn	18
Lawrence	22
Lowell	26
Framingham	30
Waltham	34
Methuen	38
Haverhill	42
Springfield	46
Holyoke	46
New Bedford	50
Somerville	50
Brockton	54
Fitchburg	54
Leominster	58
Chicopee	58
Salem	62
Southbridge	62
Everett	66
Cambridge	66
Revere	70
Marlborough	70
APPENDIX I. Technical Notes	75
Glossary	78

CITY AND TOWN TABLES

Notes:

- 1. Includes cities and towns with 200 or more Hispanic births from 1996-1999.
- 2. Ethnicities groups included for each community table are those with > 80 births, 1996 to 1999.

Table B1.1 Mother's Demographic Characteristics by Ethnicity: Boston 1996-1999.

	Puerto Rican Number Percent ¹			Dominican Number Percent		Mexican Number Percent		Colombian Number Percent		White Non-Hispanic Number Percent	
Number of births	1,926	100	1,686	100	214	100	286	100	10,894	100	
Mother's birthplace											
United States	823	42.8	108	6.4	36	16.8	11	3.9 ¹	8,963	82.4	
Puerto Rico & U.S. Territories	1,063	55.2	8	0.5	0	0.0	2		10	0.1	
Non - U.S. ²	39	2.0	1,569	93.1	178	83.2	272	95.4	1,902	17.5	
Age, in years <18 18-19	221 240	11.5 12.5	74 127	4.4 7.5	3 11	' 5.1	3 6	' 2.1	128 299	1.2 2.7	
20-24	557	28.9	457	7.5 27.1	58	27.1	56	19.6	1,184	10.9	
25-29	478	24.8	470	27.9	82	38.3	77	26.9	2,840	26.1	
30-34	305	15.8	375	22.2	35	16.4	84	29.4	3,929	36.1	
35-39	102	5.3	157	9.3	21	9.8	50	17.5	2,044	18.8	
40+	23	1.2	26	1.5	4	1	10	3.5	470	4.3	
Education completed ³ less than high school high school some college college graduate	387 609 345 87 32	26.5 41.7 23.6 6.0 2.2	385 670 293 92 34	26.1 45.5 19.9 6.2	66 64 23 29 17	33.2 32.2 11.6 14.6	69 116 54 27 9	25.1 42.2 19.6 9.8 3.3	462 2,444 2,403 3,072	4.4 23.4 23.0 29.4	
more than college	32	2.2	34	2.3	17	8.5	9	3.3	2,073	19.8	
Marital status married not married	547 1,379	28.4 71.6	659 1,027	39.1 60.9	160 54	74.8 25.2	190 96	66.4 33.6	8,555 2,337	78.5 21.5	
Race White Black Asian or American Indian Other	94 20 3 1,805	4.9 1.0 1 93.9	39 47 0 1,600	2.3 2.8 0.0 94.9	34 0 1 179	15.9 0.0 1 83.6	44 0 2 240	15.4 0.0 1 83.9	10,894 0 0 0	100.0 0.0 0.0 0.0	
Language preference English Spanish Portugese Other	1,058 819 1 20	55.7 43.2 1 1.1	332 1,307 0 14	20.1 79.1 0.0 0.8	68 141 0 4	31.9 66.2 0.0	56 223 0 4	19.8 78.8 0.0 ¹	10,213 24 188 361	94.7 0.2 1.7 3.3	

¹ Percentages based on fewer than five events are excluded.

 $^{^{\}rm 2}$ Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B1.1 (continued) Mother's Demographic Characteristics by Ethnicity: Boston 1996-1999.

	Salvad			ner American	Otl South An	her nerican	Oth Hispa		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	841	100	644	100	286	100	798	100	10,894	100
Mother's birthplace										
United States	12	1.4	54	8.4	18	6.3	624	78.3	8,963	82.4
Puerto Rico & U.S. Territories	0	0.0	0	0.0	1	¹	8	1.0	10	0.1
Non - U.S. ²	827	98.6	590	91.6	266	93.3	165	20.7	1,902	17.5
Age, in years										
<18	23	2.7	29	4.5	5	1.7	86	10.8	128	1.2
18-19	66	7.8	34	5.3	5	1.7	134	16.8	299	2.7
20-24	301	35.8	174	27.0	50	17.5	237	29.7	1,184	10.9
25-29	236	28.1	176	27.3	101	35.3	192	24.1	2,840	26.1
30-34	166	19.7	131	20.3	67	23.4	98	12.3	3,929	36.1
35-39	40	4.8	82	12.7	47	16.4	44	5.5	2,044	18.8
40+	9	1.1	18	2.8	11	3.8	7	0.9	470	4.3
Education completed ³ less than high school high school some college college graduate more than college	501 152 63 25 2	67.4 20.5 8.5 3.4	189 218 106 49 17	32.6 37.7 18.3 8.5 2.9	23 94 81 48 30	8.3 34.1 29.3 17.4 10.9	149 212 159 34 22	25.9 36.8 27.6 5.9 3.8	462 2,444 2,403 3,072 2,073	4.4 23.4 23.0 29.4 19.8
Marital status married not married	365 476	43.4 56.6	322 322	50.0 50.0	214 72	74.8 25.2	265 533	33.2 66.8	8,555 2,337	78.5 21.5
Race White Black Asian or American Indian Other	100 1 2 736	11.9 ¹ ¹ 87.7	46 53 0 545	7.1 8.2 0.0 84.6	62 19 6 199	21.7 6.6 2.1 69.6	39 17 3 738	4.9 2.1 1 92.6	10,894 0 0	100.0 0.0 0.0 0.0
Language preference English Spanish Portugese Other	100 732 0 2	12.0 87.8 0.0 ¹	191 443 1 7	29.8 69.0 1 1.1	109 148 22 4	38.5 52.3 7.8 1	392 370 3 17	50.1 47.3 1 2.2	10,213 24 188 361	94.7 0.2 1.7 3.3

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B1.2 Maternal Risk Factors by Ethnicity: Boston 1996-1999.

	Puerto	Puerto Rican		Dominican		Mexican		Colombian		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Number of births	1,926	100	1,686	100	214	100	286	100	10,894	100	
Parity											
1	739	38.4	666	39.5	108	50.5	133	46.5	5,932	54.5	
2-3	914	47.5	840	49.8	95	44.4	142	49.7	4,393	40.3	
4+	273	14.2	180	10.7	11	5.1	11	3.8	569	5.2	
Smoking prior to pregnancy											
yes	291	15.4	62	3.8	14	6.6	16	5.7	2,014	18.7	
no	1,603	84.6	1,586	96.2	199	93.4	267	94.3	8,762	81.3	
Smoking during pregnancy											
yes	184	9.6	38	2.3	4	1	3	1	1,290	11.9	
no	1,740	90.4	1,643	97.7	210	98.1	282	98.9	9,589	88.1	
Cesarean section ²											
yes	319	16.6	354	21.1	30	14.0	59	20.6	2,201	20.3	
no	1,597	83.4	1,320	78.9	184	86.0	227	79.4	8,662	79.7	
Maternal conditions											
anemia	158	8.3	127	7.6	11	5.2	7	2.4	242	2.2	
hypertension ³	83	4.3	111	6.6	7	3.3	7	2.4	542	5.0	
diabetes ⁴	96	5.0	81	4.8	5	2.3	12	4.2	309	2.9	
hepatitis B carrier	4	'	8	0.5	0	0.0	0	0.0	16	0.1	
eclampsia	45	2.3	68	4.1	5	2.3	7	2.4	137	1.3	
Previous preterm or small for											
gestational age infant											
yes	42	2.2	92	5.5	2	¹	4	¹	51	0.5	
no	1,873	97.8	1,582	94.5	211	99.1	282	98.6	10,775	99.5	

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B1.2 (continued) Maternal Risk Factors by Ethnicity: Boston 1996-1999.

	Salvad	,		Other Central American		Other South American		Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Number of births	841	100	644	100	286	100	798	100	10,894	100	
Parity											
1	334	39.7	255	39.6	146	51.0	361	45.2	5,932	54.5	
2-3	384	45.7	323	50.2	118	41.3	360	45.1	4,393	40.3	
4+	123	14.6	66	10.2	22	7.7	77	9.6	569	5.2	
Smoking prior to pregnancy											
yes	9	1.1	19	3.0	19	6.6	76	9.7	2,014	18.7	
no	824	98.9	624	97.0	267	93.4	705	90.3	8,762	81.3	
Smoking during pregnancy											
yes	1	¹	9	1.4	5	1.7	51	6.4	1,290	11.9	
no	837	99.9	633	98.6	281	98.3	747	93.6	9,589	88.1	
Cesarean section ²											
yes	132	15.8	107	16.7	68	23.9	118	14.9	2,201	20.3	
no	704	84.2	535	83.3	217	76.1	675	85.1	8,662	79.7	
Maternal conditions											
anemia	37	4.4	22	3.4	12	4.2	55	7.0	242	2.2	
hypertension ³	23	2.8	34	5.3	18	6.3	54	6.8	542	5.0	
diabetes ⁴	29	3.5	36	5.6	12	4.2	28	3.5	309	2.9	
hepatitis B carrier	1	'	2	'	1	1	4	'	16	0.1	
eclampsia	8	1.0	10	1.6	6	2.1	28	3.5	137	1.3	
Previous preterm or small for											
gestational age infant											
yes	9	1.1	10	1.6	3	 ¹	17	2.1	51	0.5	
no	826	98.9	630	98.4	282	98.9	774	97.9	10775	99.5	

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B1.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Boston 1996-1999.

	Puerto Rican		Domir	nican	Mexican		Colombian		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	1,926	100	1,686	100	214	100	286	100	10,894	100
Adequate prenatal care ²	1,433	77.2	1,364	84.6	142	67.9	200	72.2	9,039	84.6
Payment source ³ private public self-paid	486 1,378 11	25.8 73.1 0.6	300 1,327 12	18.2 80.6 0.7	91 109 5	43.1 51.7 2.4	100 175 3	35.6 62.9	8,229 2,300 116	76.7 21.4 1.1
Site of care physician's office hospital clinic community health center HMO/other	331 809 551 208	17.4 42.6 29.0 11.0	359 835 349 121	21.6 50.2 21.0 7.3	45 46 98 22	21.3 21.8 46.4 10.4	52 68 128 32	18.6 24.3 45.7 11.4	5,642 2,364 1,423 1,345	52.4 21.9 13.2 12.5
Breastfeeding ⁴ yes no	1,262 598	67.8 32.2	1,368 243	84.9 15.1	179 33	84.4 15.6	248 32	88.6 11.4	7,756 2,961	72.4 27.6
Pediatric provider named yes no	1,664 262	86.4 13.6	1,535 151	91.0 9.0	187 27	87.4 12.6	249 37	87.1 12.9	10,032 862	92.1 7.9

¹ Percentages based on fewer than five events are excluded.

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

Table B1.3 (continued) Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Boston 1996-1999.

	Salvad	Salvadoran		er merican	Oth South An		Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	841	100	644	100	286	100	798	100	10,864	100
Adequate prenatal care ²	449	55.5	463	73.1	223	79.1	669	87.0	9,039	84.8
Payment source ³ private public self-paid	146	17.7	231	36.0	150	53.2	264	33.8	8,229	76.7
	634	76.8	397	61.8	113	40.1	500	64.0	2,300	21.4
	35	4.2	7	1.1	18	6.4	12	1.5	116	1.1
Site of care physician's office hospital clinic community health center HMO/other	61	7.4	110	17.3	90	31.7	214	27.1	5,642	52.4
	162	19.7	220	34.5	94	33.1	354	44.8	2,364	21.9
	544	66.1	253	39.7	72	25.4	107	13.5	1,423	13.2
	56	6.8	54	8.5	28	9.9	115	14.6	1,345	12.5
Breastfeeding ⁴ yes no	703	85.7	554	86.8	233	82.0	543	70.2	7,756	72.4
	117	14.3	84	13.2	51	18.0	231	29.8	2,961	27.6
Pediatric provider named yes no	717	85.3	576	89.4	256	89.5	726	91.0	10,032	92.1
	124	14.7	68	10.6	30	10.5	72	9.0	862	7.9

¹ Percentages based on fewer than five events are excluded.

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

 \propto

Table B1.4 Infant Health Characteristics by Ethnicity: Boston 1996-1999.

	Puerto	Puerto Rican		Dominican		Mexican		Colombian		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Number of births	1,926	100	1,686	100	214	100	286	100	10,894	100	
Birthweight (g)											
< 1,500	36	1.9	26	1.6	3	¹	3	¹	107	1.0	
1,500 - 2,499	139	7.2	101	6.1	7	3.3	4	¹	582	5.4	
2,500 - 3,999	1,578	82.2	1,373	82.8	184	86.0	249	87.1	8,734	80.4	
4,000+	167	8.7	185	9.8	20	9.3	30	10.5	1,443	13.3	
Gestational age (weeks)											
< 37	212	11.0	160	9.5	6	2.8	13	4.6	801	7.4	
37-42	1,693	88.1	1,504	89.4	208	97.2	269	94.4	9,999	92.2	
43+	17	0.9	18	1.1	0	0.0	3	1	46	0.4	
Singleton birth	1,847	97.3	1,644	97.5	212	99.1	282	98.6	10,441	95.8	
Multiple birth	52	2.7	42	2.5	2	1	4	1	453	4.2	
Sex of infant: female	972	50.5	809	48.0	105	49.1	141	49.3	5,263	48.3	
Abnormal conditions of newborn	403	20.9	387	23.0	29	13.6	42	14.7	1,300	11.9	
jaundice	198	10.4	188	11.3	10	4.7	14	4.9	537	5.0	

¹ Percentages based on fewer than five events are excluded.

9

Table B1.4 (continued) Infant Health Characteristics by Ethnicity: Boston 1996-1999.

	Salvad	4		Other Central American		Other South American		Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Number of births	841	100	644	100	286	100	798	100	10,894	100	
Birthweight (g)											
< 1,500	7	0.8	6	0.9	2	¹	15	1.9	107	1.0	
1,500 - 2,499	51	6.1	40	6.2	24	8.4	67	8.4	582	5.4	
2,500 - 3,999	712	84.9	540	84.0	223	78.0	641	80.5	8,734	80.4	
4,000+	69	8.2	57	6.8	37	12.9	73	9.2	1,443	13.3	
Gestational age (weeks)											
< 37	63	7.5	57	8.9	26	9.1	86	10.8	801	7.4	
37-42	765	91.6	574	89.7	257	90.2	706	88.7	9,999	92.2	
43+	7	0.8	9	1.4	2	1	4	1	46	0.4	
Singleton birth	819	97.4	621	96.4	272	95.1	770	96.5	10,441	95.8	
Multiple birth	22	2.6	23	3.6	14	4.9	28	3.5	453	4.2	
Sex of infant: female	411	48.9	315	48.9	125	43.7	375	47.0	5,263	48.3	
Abnormal conditions of newborn	149	17.7	95	14.8	50	17.5	177	22.2	1,300	11.9	
jaundice	59	7.1	43	6.8	24	8.5	95	12.0	537	5.0	

¹ Percentages based on fewer than five events are excluded.

Table B2.1 Mother's Demographic Characteristics by Ethnicity: Worcester 1996-1999.

	Puerto Rican		Dominican		Salvadoran		Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	1,731	100	145	100	130	100	223	100	5,557	100
Mother's birthplace										
United States	822	47.5	16	11.0	3	 ¹	32	14.3	5,100	91.9
Puerto Rico & U.S. Territories	897	51.8	1	1	0	0.0	2	1	3	¹
Non - U.S. ²	12	0.7	128	88.3	127	97.7	189	84.8	448	8.1
Age, in years										
<18	260	15.0	8	5.5	3	1	8	3.6	140	2.5
18-19	283	16.3	15	10.3	9	6.9	10	4.5	334	6.0
20-24	634	36.6	42	29.0	44	33.8	54	24.2	1,197	21.5
25-29	319	18.4	33	22.8	41	31.5	55	24.7	1,666	30.0
30-34	156	9.0	31	21.4	23	17.7	59	26.5	1,463	26.3
35-39	66	3.8	12	8.3	9	6.9	31	13.9	631	11.4
40+	13	0.8	4	1	1	1	6	2.7	126	2.3
Education completed ³										
less than high school	420	35.4	44	36.1	50	42.4	47	23.0	461	9.1
high school	453	38.1	47	38.5	46	39.0	68	33.3	1,648	32.4
some college	262	22.1	24	19.7	18	15.3 ¹	47	23.0	1,466	28.8
college graduate	38	3.2	5 2	4.1 ¹	3 1	 ¹	29	14.2	1,051	20.7
more than college	15	1.3			1		13	6.4	456	9.0
Marital status										
married	505	29.2	67	46.2	57	43.8	127	57.0	3,745	67.4
not married	1,226	70.8	78	53.8	73	56.2	96	43.0	1,812	32.6
Race										
White	35	2.0	4	¹	7	5.4	42	18.8	5,557	100.0
Black	11	0.6	7	4.8	0	0.0	11	4.9	0	0.0
Asian or American Indian	1	1	1	¹	0	0.0	4	1 	0	0.0
Other	1,684	97.3	133	91.7	123	94.6	166	74.4	0	0.0
Language preference										
English	1,563	90.6	89	61.4	75	57.7	170	76.2	5,483	99.0
Spanish	161	9.3	55	37.9	55	42.3	50	22.4	4	1
Portugese	0	0.0	0	0.0	0	0.0	3	1	10	0.2
Other	1	1	1	1	0	0.0	0	0.0	44	8.0

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B2.2 Maternal Risk Factors by Ethnicity: Worcester 1996-1999.

	Puerto Rican		Domin	ican	Salvad	•			White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	1,731	100	145	100	130	100	223	100	5,557	100
Parity										
1 1	663	38.3	62	42.8	53	40.8	103	46.2	2,417	43.5
2-3	824	47.6	71	49.0	66	50.8	107	48.0	2,673	48.1
4+	244	14.1	12	8.3	11	8.5	13	5.8	467	8.4
Smoking prior to pregnancy										
yes	335	19.4	13	9.0	2	1	22	9.9	1,844	33.3
no	1,391	80.6	132	91.0	128	98.5	201	90.1	3,698	66.7
Smoking during pregnancy										
yes	246	14.2	9	6.2	1	1	12	5.4	1,317	23.7
no	1,485	85.8	136	93.8	129	99.2	211	94.6	4,239	76.3
Cesarean section ²										
yes	247	14.4	24	16.6	18	13.8	48	21.6	967	17.5
no	1,474	85.6	121	83.4	112	86.2	174	78.4	4,555	82.5
Maternal conditions										
anemia	26	1.5	1	1	0	0.0	1	1	23	0.4
hypertension ³	72	4.2	10	6.9	7	5.4	7	3.2	214	3.9
diabetes ⁴	78	4.5	13	9.0	6	4.6	21	9.5	212	3.8
hepatitis B carrier	1	'	0	0.0	0	0.0	0	0.0	10	0.2
eclampsia	19	1.1	1	1	5	3.8	6	2.7	49	0.9
Previous preterm or small for gestational age infant										
yes	25	1.5	1	1	2	1	0	0.0	73	1.3
no	1,693	98.5	144	99.3	128	98.5	222	100.0	5,440	98.7

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B2.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Worcester 1996-1999.

	Puerto Rican		Domir	nican	Salvad	loran	Oth Hispa		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	1,731	100	145	100	130	100	223	100	5,557	100
Adequate prenatal care ²	1,082	62.9	86	59.3	82	63.1	136	61.3	3,979	72.1
Payment source ³ private public self-paid	367 1,314 20	21.3 76.2 1.2	18 124 2	12.4 85.5 ¹	55 71 1	42.3 54.6 ¹	106 115 1	47.5 51.6	3,853 1,586 41	69.6 28.7 0.7
Site of care physician's office hospital clinic community health center HMO/other	400 586 571 159	23.3 34.1 33.3 9.3	19 53 63 9	13.2 36.8 43.8 6.3	21 30 60 19	16.2 23.1 46.2 14.6	85 38 64 36	38.1 17.0 28.7 16.1	3,616 669 299 910	65.8 12.2 5.4 16.6
Breastfeeding ⁴ yes no	1,168 558	67.7 32.3	126 19	86.9 13.1	110 20	84.6 15.4	193 30	86.5 13.5	3,365 2,172	60.8 39.2
Pediatric provider named yes no	1,714 17	99.0 1.0	144 1	99.3	129 1	99.2	222 1	99.6	5,504 53	99.0 1.0

¹ Percentages based on fewer than five events are excluded.

²Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

Table B2.4 Infant Health Characteristics by Ethnicity: Worcester 1996-1999.

	Puerto Rican		Dominican		Salvadoran		Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	1,731	100	145	100	130	100	223	100	5,557	100
Birthweight (g)										
< 1,500	36	2.1	1	1	0	0.0	6	2.7	81	1.5
1,500 - 2,499	132	7.6	16	11.0	9	6.9	13	5.8	336	6.0
2,500 - 3,999	1,461	84.4	111	76.6	108	83.1	179	80.3	4,494	80.9
4,000+	102	5.9	17	1.0	13	10.0	25	11.2	643	11.6
Gestational age (weeks)										
< 37	156	9.0	11	7.6	10	7.7	17	7.6	421	7.6
37-42	1,566	90.6	134	92.4	120	92.3	206	92.4	5,113	92.2
43+	6	0.3	0	0.0	0	0.0	0	0.0	9	0.2
Singleton birth	1,695	97.9	145	100.0	120	92.3	215	96.4	5,365	96.5
Multiple birth	36	2.1	0	0.0	10	7.7	8	3.6	192	3.5
Sex of infant: female	819	47.3	60	41.4	60	46.2	102	45.7	2,684	48.3
Abnormal conditions of newborn	290	16.8	31	21.4	23	17.7	36	16.1	772	13.9
jaundice	102	6.0	9	6.2	12	9.5	16	7.2	253	4.6

¹ Percentages based on fewer than five events are excluded.

Note: Percentages may not add to 100% due to missing values. Percentages are calculated based only on those births with known values for the characteristic of interest.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

Table B3.1 Mother's Demographic Characteristics by Ethnicity: Chelsea 1996-1999.

	Puerto Number	Rican Percent ¹	Salvac Number	loran Percent	Oth Central A Number		Oth Hispa Number		Whi Non-His Number	
Number of births	522	100	362	100	384	100	300	100	550	100
Mother's birthplace										
United States	252	48.3	8	2.2	14	3.6	51	17.1 ¹	480	87.4
Puerto Rico & U.S. Territories Non - U.S. ²	266 4	51.0 ¹	0 354	0.0 97.8	0 370	0.0 96.4	3 245	 81.9	1 68	' 12.4
Age, in years										
<18	62	11.9	19	5.2	23	6.0	12	4.0	18	3.3
18-19 20-24	75 179	14.4 34.3	26 117	7.2 32.3	36 106	9.4 27.6	24 67	8.0 22.3	40 111	7.3 20.2
25-29 25-29	127	24.3	117	32.3 32.9	108	28.1	106	35.3	160	20.2
30-34	57	10.9	61	16.9	70	18.2	58	19.3	142	25.8
35-39	19	3.6	17	4.7	33	8.6	31	10.3	69	12.5
40+	3	1	3	1	8	2.1	2	1	10	1.8
Education completed ³ less than high school high school some college college graduate more than college	111 171 89 9 2	29.1 44.8 23.3 2.4	216 70 24 4 0	68.8 22.3 7.6 1	181 95 30 10	57.3 30.1 9.5 3.2 0.0	77 94 58 23 8	29.6 36.2 22.3 8.8 3.1	79 207 126 50 26	16.2 42.4 25.8 10.2 5.3
Marital status married not married	164 358	31.4 68.6	122 240	33.7 66.3	119 265	31.0 69.0	161 139	53.7 46.3	313 237	56.9 43.1
Race White Black Asian or American Indian Other	33 3 2 483	6.3 ¹ ¹ 92.7	43 2 0 316	11.9 ¹ 0.0 87.5	29 2 2 350	7.6 ¹ ¹ 91.4	25 1 0 274	8.3 ¹ 0.0 91.3	550 0 0 0	100.0 0.0 0.0 0.0
Language preference English Spanish Portugese Other	355 158 0 8	68.1 30.3 0.0 1.5	51 307 0 3	14.1 85.0 0.0 ¹	48 333 0 2	12.5 86.9 0.0	92 202 1 4	30.8 67.6 1	513 3 15 19	93.3 1 2.7 3.5

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B3.2 Maternal Risk Factors by Ethnicity: Chelsea 1996-1999.

	Puerto	Puerto Rican		Salvadoran		er merican	Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	522	100	362	100	384	100	300	100	550	100
Parity										
1	204	39.1	134	37.0	136	35.4	111	37.0	253	46.0
2-3	230	44.1	162	44.8	188	49.0	149	49.7	252	45.8
4+	88	16.9	66	18.2	60	15.6	40	13.3	45	8.2
Smoking prior to pregnancy										
yes	115	22.2	4	¹	3	 ¹	21	7.0	219	39.9
no	404	77.8	355	98.9	381	99.2	277	93.0	330	60.1
Smoking during pregnancy										
yes	77	14.8	4	1	2	 ¹	9	3.0	172	31.3
no	444	85.2	356	98.9	381	99.5	289	97.0	377	68.7
Cesarean section ²										
yes	85	16.4	42	11.7	58	15.2	56	18.9	117	21.3
no	434	83.6	318	88.3	323	84.8	241	81.1	432	78.7
Maternal conditions										
anemia	32	6.2	25	6.9	27	7.1	17	5.8	9	1.6
hypertension ³	22	4.3	8	2.2	14	3.7	14	4.7	22	4.0
diabetes ⁴	36	7.0	12	3.3	26	6.8	13	4.4	18	3.3
hepatitis B carrier	2	'	0	0.0	0	0.0	0	0.0	2	'
eclampsia	7	1.4	3	1	8	2.1	2	1	4	 ¹
Previous preterm or small for										
gestational age infant										
yes	3	1	2	 ¹	0	0.0	1	1	4	1
no	512	99.4	358	99.4	382	100.0	294	99.7	542	99.3

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B3.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Chelsea 1996-1999.

	Puerto Rican		Salvad	loran	Oth Central A		Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	522	100	362	100	384	100	300	100	550	100
Adequate prenatal care ²	359	70.1	198	56.6	237	62.7	198	68.0	392	72.6
Payment source ³ private public self-paid	164 330 11	31.9 64.2 2.1	67 265 14	18.7 74.0 3.9	80 273 12	20.9 71.5 3.1	100 184 6	33.9 62.4 2.0	307 222 10	56.2 40.7 1.8
Site of care physician's office hospital clinic community health center HMO/other	94 96 309 16	18.3 18.6 60.0 3.1	25 64 260 5	7.1 18.1 73.4 1.4	26 52 285 16	6.9 13.7 75.2 4.2	50 63 159 26	16.8 21.1 53.4 8.7	252 113 141 38	46.3 20.8 25.9 7.0
Breastfeeding ⁴ yes no	351 166	67.9 32.1	300 58	83.8 16.2	306 73	80.7 19.3	235 57	80.5 19.5	293 252	53.8 46.2
Pediatric provider named yes no	479 43	91.8 8.2	325 37	89.8 10.2	346 38	90.1 9.9	269 31	89.7 10.3	508 42	92.4 7.6

¹ Percentages based on fewer than five events are excluded.

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

Table B3.4 Infant Health Characteristics by Ethnicity: Chelsea 1996-1999.

	Puerto	Puerto Rican		Salvadoran		Other Central American		Other Hispanic		ite spanic
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	522	100	362	100	384	100	300	100	550	100
Birthweight (g)										
< 1,500	13	2.5	7	1.9	3	¹	6	2.0	9	1.6
1,500 - 2,499	40	7.7	21	5.8	29	7.6	15	5.1	34	6.2
2,500 - 3,999	427	82.1	310	85.9	311	81.4	240	81.1	449	81.6
4,000+	40	7.7	23	4.4	39	10.2	35	11.8	58	10.5
Gestational age (weeks)										
< 37	57	10.9	26	7.2	33	8.6	26	8.8	38	7.0
37-42	463	88.9	331	91.9	346	90.6	271	91.2	502	92.6
43+	1	1	3	¹	3	¹	0	0.0	2	1
Singleton birth	516	98.9	353	97.5	377	98.2	292	97.3	535	97.3
Multiple birth	6	1.1	9	2.5	7	1.8	8	2.7	15	2.7
Sex of infant: female	260	49.8	182	50.3	207	53.9	143	47.7	276	50.2
Abnormal conditions of newborn	41	7.9	29	8.0	31	8.1	23	7.7	36	6.5
jaundice	5	1.0	10	2.8	6	1.6	10	3.4	9	1.6

¹ Percentages based on fewer than five events are excluded.

Table B4.1 Mother's Demographic Characteristics by Ethnicity: Lynn 1996-1999.

	Puerto Rican		Dominican		Central American		Other Hispanic		Wh Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	395	100	728	100	276	100	130	100	2,589	100
Mother's birthplace										
United States	190	48.1	99	13.6	8	2.9	28	21.5	2,402	92.8
Puerto Rico & U.S. Territories	199	50.4	4	1	1	1	1	1	1	1
Non - U.S. ²	6	1.5	624	85.8	267	96.7	101	77.7	185	7.1
Age, in years										
<18	53	13.4	49	6.7	7	2.5	6	4.6	95	3.7
18-19	57	14.4	76	10.4	19	6.9	12	9.2	153	5.9
20-24	160	40.5	216	29.7	103	37.3	45	34.6	511	19.7
25-29	78	19.7	186	25.5	91	33.0	33	25.4	772	29.8
30-34	36	9.1	136	18.7	41	14.9	20	15.4	674	26.0
35-39	9	2.3	54	7.4	14	5.1	12	9.2	325	12.6
40+	2	1	11	1.5	1	1	2	1	59	2.3
Education completed ³										
less than high school	111	38.9	151	25.0	175	70.0	51	45.5	191	8.2
high school	103	36.1	248	41.1	45	18.0	25	22.3	893	38.2
some college	57	20.0	149	24.7	20	8.0	29	25.9	764	32.6
college graduate	12	4.2	46	7.6	7	2.8	6	5.4	382	16.3
more than college	2	1	9	1.5	3	1	1	1	110	4.7
Marital status										
married	107	27.1	252	34.6	124	44.9	58	44.6	1,628	62.9
not married	288	72.9	476	65.4	152	55.1	72	55.4	961	37.1
Race White	40	4.6	44	4.5	44	4.0	40	7.7	0.500	400.0
Black	18 4	4.6 ¹	11	1.5 1.0	11 4	4.0 ¹	10	7.7 1	2,589	100.0 0.0
Asian or American Indian	4	 1	7 1	1.0	0	0.0	4 2	 1	0 0	0.0
Other	369	93.4	709	97.4	261	94.6	114	87.7		0.0
	309	93.4	709	97.4	201	94.6	114	67.7		0.0
Language preference	070	70.0	070	00.0		45.0	4-	00.7	0.540	07.0
English	279	70.6	278	38.2	44	15.9	47	36.7	2,519	97.6
Spanish	112	28.4	446	61.3	230	83.3	77	60.2	1	'
Portugese	0	0.0	0	0.0	0	0.0	1	1	21	0.8
Other	4		4		2		3		41	1.6

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B4.2 Maternal Risk Factors by Ethnicity: Lynn 1996-1999.

	Puerto	Puerto Rican		ican	Cent Ameri		Other Hispanic		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	395	100	728	100	276	100	130	100	2,589	100
Parity 1 2-3 4+	138 192 65	34.9 48.6 16.5	272 382 74	37.4 52.5 10.2	107 141 28	38.8 51.1 10.1	54 62 14	41.5 47.7 10.8	1,110 1,260 219	42.9 48.7 8.5
Smoking prior to pregnancy yes no	93 302	23.5 76.5	52 676	7.1 92.9	5 271	1.8 98.2	5 123	3.9 96.1	982 1,597	38.1 61.9
Smoking during pregnancy yes no	72 323	18.2 81.8	31 697	4.3 95.7	3 273	¹ 98.9	1 129	¹ 99.2	667 1,919	25.8 74.2
Cesarean section ² yes no	61 333	15.5 84.5	153 574	21.0 79.0	32 244	11.6 88.4	15 115	11.5 88.5	626 1,961	24.2 75.8
Maternal conditions anemia hypertension ³ diabetes ⁴ hepatitis B carrier eclampsia	6 6 7 1 1	1.5 1.5 1.8 '	4 7 19 1 4	1.0 2.6 	4 3 5 0 1	¹ ¹ 1.8 0.0	4 1 7 0 1	¹ ¹ 5.4 0.0	6 42 45 3 12	0.2 1.6 1.7 '
Previous preterm or small for gestational age infant yes no	3 391	99.2	4 722	¹ 99.4	1 275	¹ 99.6	0 130	0.0 100.0	6 2,575	0.2 99.8

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B4.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Lynn 1996-1999.

	Puerto Rican		Dominican		Cent Amer		Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	395	100	728	100	276	100	130	100	2,589	100
Adequate prenatal care ²	267	67.8	505	69.6	178	64.7	92	72.4	2,024	78.8
Payment source ³ private public self-paid	55 328 2	13.9 83.0 ¹	111 599 4	15.3 82.5 ¹	44 221 4	16.1 80.7 1	29 96 0	22.7 75.0 0.0	1,523 923 9	59.2 35.9 0.3
Site of care physician's office hospital clinic community health center HMO/other	145 55 161 34	36.7 13.9 40.8 8.6	309 108 259 50	42.6 14.9 35.7 6.9	53 41 136 45	19.3 14.9 49.5 16.4	48 18 53 10	37.2 14.0 41.1 7.8	1,979 240 232 117	77.1 9.3 9.0 4.6
Breastfeeding ⁴ yes no	232 163	58.7 41.3	539 187	74.2 25.8	220 56	79.7 20.3	94 34	73.4 26.6	1,288 1,286	50.0 50.0
Pediatric provider named yes no	386 9	97.7 2.3	720 8	98.9 1.1	271 5	98.2 1.8	125 5	96.2 3.8	2,545 44	98.3 1.7

¹ Percentages based on fewer than five events are excluded.

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

Table B4.4 Infant Health Characteristics by Ethnicity: Lynn 1996-1999.

	Puerto Rican		Dominican		Central American		Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	395	100	728	100	276	100	130	100	2,589	100
Birthweight (g)										
< 1,500	7	1.8	18	2.5	1	¹	1	¹	32	1.2
1,500 - 2,499	26	6.6	33	4.6	16	5.8	6	4.6	147	5.7
2,500 - 3,999	342	86.6	604	83.4	236	85.8	113	86.9	2,063	79.8
4,000+	20	5.1	69	17.5	22	8.0	10	7.7	343	13.3
Gestational age (weeks)										
< 37	30	7.6	66	9.1	18	6.5	8	6.2	192	7.4
37-42	364	92.4	655	90.3	258	93.5	122	93.8	2,391	92.5
43+	0	0.0	4	¹	0	0.0	0	0.0	2	1
Singleton birth	383	97.0	708	97.3	272	98.6	130	100.0	2,488	96.1
Multiple birth	12	3.0	20	2.7	4	<u> </u>	0	0.0	101	3.9
Sex of infant: female	194	49.1	356	48.9	129	46.7	67	51.5	1,269	49.0
Abnormal conditions of newborn	29	7.3	30	4.1	11	4.0	3	 ¹	111	4.3
jaundice	4	1	8	1.1	2	¹	1	¹	26	1.0

¹ Percentages based on fewer than five events are excluded.

Table B5.1 Mother's Demographic Characteristics by Ethnicity: Lawrence 1996-1999.

	Puerto Rican Number Percent ¹		Domir Number	nican Percent	Oth Hispa Number		Whi Non-His Number	
Number of births	1,772	100	1,719	100	205	100	1,348	100
Madhada hidhalaa	·							
Mother's birthplace	704	44.0	007	40.0	40	00.0	4.005	00.0
United States	794	44.8	227	13.2	49	23.9 ¹	1,265	93.8
Puerto Rico & U.S. Territories Non - U.S. ²	929	52.4	16	0.9	2		4	'
Non - U.S	49	2.8	1,476	85.9	154	75.1	79	5.9
Age, in years								
<18	284	16.0	110	6.4	9	4.4	56	4.2
18-19	312	17.6	193	11.2	21	10.2	122	9.1
20-24	648	36.6	545	31.7	71	34.6	374	27.7
25-29	325	18.3	469	27.3	62	30.2	405	30.0
30-34 35-39	154 43	8.7 2.4	283 98	16.5 5.7	24 18	11.7 8.8	271 98	20.1 7.3
40+	43 6	0.3	21	1.2	0	0.0	22	7.3 1.6
Education completed ³ less than high school high school some college college graduate more than college	432 501 217 16	36.8 42.7 18.5 1.4 0.6	419 583 320 79 14	29.6 41.2 22.6 5.6 1.0	52 64 47 10 2	29.7 36.6 26.9 5.7	168 518 336 110 34	14.4 44.4 28.8 9.4 2.9
	'	0.0	'-	1.0] 34	2.9
Marital status married not married	405 1,367	22.9 77.1	676 1,043	39.3 60.7	96 109	46.8 53.2	735 613	54.5 45.5
Race White Black Asian or American Indian Other	46 12 0 1,714	2.6 0.7 0.0 96.7	12 8 0 1,699	0.7 0.5 0.0 98.8	10 0 2 193	4.9 0.0 ' 94.1	1,348 0 0 0	100.0 0.0 0.0 0.0
Language preference English Spanish Portugese Other	1,116 648 2 6	63.0 36.6 0.3	557 1,158 0 2	32.4 67.4 0.0	80 125 0 0	39.0 61.0 0.0 0.0	1,326 1 6 11	98.7 1 0.4 0.8

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B5.2 Maternal Risk Factors by Ethnicity: Lawrence 1996-1999.

	Puerto Rican		Dominican		Oth Hispa		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	1,772	100	1,719	100	205	100	1,348	100
Parity								
1	732	41.3	706	41.1	86	42.0	567	42.1
2-3	802	45.3	893	51.9	98	47.8	668	49.6
4+	238	13.4	120	7.0	21	10.2	113	8.4
Smoking prior to pregnancy								
yes	288	16.3	72	4.2	18	8.8	513	38.2
no	1,482	83.7	1,645	95.8	187	91.2	831	61.8
Smoking during pregnancy								
yes	195	11.0	33	1.9	11	5.4	359	26.6
no	1,574	89.0	1,685	98.1	194	94.6	989	73.4
Cesarean section ²								
yes	271	15.3	360	20.9	34	16.6	291	21.6
no	1,501	84.7	1,359	79.1	171	83.4	1,055	78.4
Maternal conditions								
anemia	98	5.5	77	4.5	10	4.9	30	2.2
hypertension ³	56	3.2	56	3.3	2	1	50	3.7
diabetes ⁴	45	2.5	33	1.9	2	1	28	2.1
hepatitis B carrier	3	'	7	0.4	0	0.0	1	'
eclampsia	13	0.7	14	0.8	2	 ¹	10	0.7
Previous preterm or small for								
gestational age infant								
yes	11	0.6	3	1	2	1	10	0.7
no	1,760	99.4	1,715	99.8	203	99.0	1,336	99.3

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B5.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Lawrence 1996-1999.

	Puerto Rican		Domin	ican	Oth Hispa		White Non-Hispanic		
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	
Number of births	1,772	100	1,719	100	205	100	1,348	100	
Adequate prenatal care ²	871	50.0	897	52.5	110	54.7	859	65.0	
Payment source ³ private public self-paid	337	19.0	393	22.9	61	29.9	731	54.8	
	1,353	76.4	1,258	73.3	132	64.7	533	39.9	
	58	3.3	44	2.6	5	2.5	27	2.0	
Site of care physician's office hospital clinic community health center HMO/other	431	24.6	435	25.6	70	34.5	892	67.4	
	348	19.9	358	21.1	37	18.2	222	16.8	
	855	48.8	813	47.8	85	41.9	155	11.7	
	119	6.8	94	5.5	11	5.4	54	4.1	
Breastfeeding ⁴ yes no	1,167	65.9	1,448	84.3	165	80.9	697	52.2	
	605	34.1	270	15.7	39	19.1	638	47.8	
Pediatric provider named yes no	1,472	98.0	1,690	98.3	202	98.5	1,330	98.7	
	30	2.0	29	1.7	3	¹	18	1.3	

¹ Percentages based on fewer than five events are excluded.

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-pay

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

25

Table B5.4 Infant Health Characteristics by Ethnicity: Lawrence 1996-1999.

	Puerto Rican		Dominican		Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	1,772	100	1,719	100	205	100	1,348	100
Birthweight (g)								
< 1,500	35	2.0	29	1.7	2	1	24	1.8
1,500 - 2,499	118	6.7	88	5.1	6	2.9	70	5.2
2,500 - 3,999	1,505	85.0	1,430	83.3	180	87.8	1,103	81.9
4,000+	112	6.3	169	9.5	17	8.3	150	11.1
Gestational age (weeks)								
< 37	176	10.0	121	7.1	10	4.9	98	7.3
37-42	1,586	89.8	1,591	92.7	194	95.1	1,242	92.3
43+	5	0.3	4	¹	0	0.0	5	0.4
Singleton birth	1,734	97.9	1,680	97.7	202	98.5	1,312	97.3
Multiple birth	38	2.1	39	2.3	3	1	36	2.7
Sex of infant: female	875	49.4	809	47.1	108	52.7	678	50.3
Abnormal conditions of newborn	492	27.8	475	27.6	43	21.0	232	17.2
jaundice	108	6.1	134	7.8	11	5.4	45	3.3

¹ Percentages based on fewer than five events are excluded.

Table B6.1 Mother's Demographic Characteristics by Ethnicity: Lowell 1996-1999.

	Puerto Rican		Domin	ican	Oth Hispa		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	959	100	127	100	165	100	3,501	100
Mother's birthplace								
United States	439	45.8	14	11.0	29	17.7	3,269	93.9
Puerto Rico & U.S. Territories	511	53.3	0	0.0	0	0.0	2	1
Non - U.S. ²	8	0.8	113	89.0	135	82.3	211	6.1
Age, in years								
<18	146	15.2	11	8.7	5	3.0	111	3.2
18-19	149	15.5	14	11.0	17	10.3	241	6.9
20-24	351	36.6	44	34.6	41	24.8	855	24.4
25-29 30-34	210 69	21.9 7.2	39 12	30.7 9.4	30 50	18.2 30.3	1,152 780	32.9 22.3
35-39	30	3.1	7	5.5	13	7.9	301	8.6
40+	4	1	o O	0.0	9	5.5	61	1.7
Education completed ³ less than high school high school some college college graduate more than college	230 276 129 24 4	34.7 41.6 19.5 3.6	43 38 13 7 1	42.2 37.3 12.7 6.9	38 56 25 20 4	26.6 39.2 17.5 14.0	380 1,234 950 448 130	12.1 39.3 30.2 14.3 4.1
Marital status married not married	218 741	22.7 77.3	32 95	25.2 74.8	93 71	56.7 43.3	2,099 1,401	60.0 40.0
Race White Black Asian or American Indian Other	27 3 3 926	2.8 1 1 96.6	2 3 2 120	¹ ¹ ¹ 94.5	28 4 2 131	17.0 ¹ ¹ 79.4	3,501 0 0 0	100.0 0.0 0.0 0.0
Language preference English Spanish Portugese Other	497 451 0 11	51.8 47.0 0.0 1.1	17 109 0 1	13.4 85.8 0.0 1	49 109 4 3	29.7 66.1 1	3,387 3 75 26	97.0 1 2.1 0.7

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B6.2 Maternal Risk Factors by Ethnicity: Lowell 1996-1999.

	Puerto Rican		Dominican		Other Hispanic		Wh Non-His	spanic
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	959	100	127	100	165	100	3,501	100
Parity								
1	367	38.3	43	33.9	70	42.4	1,547	44.2
2-3	462	48.2	69	54.3	77	46.7	1,677	47.9
4+	130	13.6	15	11.8	18	10.9	277	7.9
Smoking prior to pregnancy								
yes	212	22.1	8	6.3	16	9.7	1,341	38.5
no	747	77.9	118	93.7	149	90.3	2,145	61.5
Smoking during pregnancy								
yes	150	15.6	6	4.8	8	4.8	902	25.8
no	809	84.4	120	95.2	157	95.2	2,593	74.2
Cesarean section ²								
yes	166	17.3	25	19.7	32	19.5	720	20.6
no	792	82.7	102	80.3	132	80.5	2,780	79.4
Maternal conditions								
anemia	17	1.8	1	1	3	1	43	1.2
hypertension ³	19	2.0	1	1	3	1	155	4.4
diabetes ⁴	21	2.2	4	1	6	3.7	107	3.1
hepatitis B carrier	2	'	1	1	0	0.0	3	'
eclampsia	2	1	1	1	0	0.0	11	0.3
Previous preterm or small for								
gestational age infant								
yes	7	0.7	0	0.0	1	1	42	1.2
no	951	99.3	127	100.0	163	99.4	3,456	98.8

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B6.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Lowell 1996-1999.

	Puerto Rican		Dominican		Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	959	100	127	100	165	100	3,501	100
Adequate prenatal care ²	586	61.6	62	48.8	103	62.8	2,450	70.5
Payment source ³ private public self-paid	152 800 2	15.8 83.4 	13 114 0	10.2 89.8 0.0	67 95 1	40.9 57.9 ¹	2,086 1,326 16	60.3 38.3 0.5
Site of care physician's office hospital clinic community health center HMO/other	507 395 10 44	53.0 41.3 1.0 4.6	46 72 6 3	36.2 56.7 4.7	90 60 3 11	54.9 36.6 1 6.7	2,447 662 13 322	71.1 19.2 0.4 9.3
Breastfeeding ⁴ yes no	466 491	48.7 51.3	95 32	74.8 25.2	121 43	73.8 26.2	1,721 1,739	49.7 50.3
Pediatric provider named yes no	951 8	99.2 0.8	127 0	100.0 0.0	161 4	97.6 ¹	3,450 51	98.5 1.5

¹ Percentages based on fewer than five events are excluded.

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

Table B6.4 Infant Health Characteristics by Ethnicity: Lowell 1996-1999.

	Puerto Rican		Dominican		Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	959	100	127	100	165	100	3,501	100
Birthweight (g)								
< 1,500	16	1.7	0	0.0	5	3.0	53	1.5
1,500 - 2,499	70	7.3	3	¹	8	4.9	195	5.6
2,500 - 3,999	811	84.7	112	88.2	135	82.3	2,871	82.1
4,000+	61	6.4	12	9.4	16	9.8	378	10.8
Gestational age (weeks)								
< 37	92	9.6	2	¹	16	9.7	254	7.3
37-42	864	90.1	125	98.4	148	89.7	3,236	92.6
43+	3	1	0	0.0	1	1	4	¹
Singleton birth	930	97.0	125	98.4	161	97.6	3,395	97.0
Multiple birth	29	3.0	2	1	4	¹	106	3.0
Sex of infant: female	459	47.9	59	46.5	93	56.4	1,721	49.2
Abnormal conditions of newborn	206	21.5	21	16.5	28	17.0	574	16.4
jaundice	38	4.0	4	1	8	4.9	111	3.2

¹ Percentages based on fewer than five events are excluded.

Table B7.1 Mother's Demographic Characteristics by Ethnicity: Framingham 1996-1999.

	Puerto Rican		Cent Amer		Other Hispanic		White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	259	100	154	100	210	100	2,598	100
Mother's birthplace								
United States	127	49.0	3	¹	30	14.3	2,191	84.4
Puerto Rico & U.S. Territories	131	50.6	0	0.0	0	0.0	2	¹
Non - U.S. ²	1	1	151	98.1	180	85.7	404	15.6
Age, in years								
<18	26	10.0	4	¹	7	3.3	37	1.4
18-19	33	12.7	9	5.8	9	4.3	58	2.2
20-24 25-29	79 68	30.5 26.3	42 45	27.3 29.2	37 70	17.6 33.3	201 614	7.7 23.6
30-34	33	26.3 12.7	34	29.2 22.1	50	33.3 23.8	1,088	23.6 41.9
35-39	15	5.8	17	11.0	25	11.9	497	19.1
40+	5	1.9	3	1	12	5.7	103	4.0
Education completed ³	40	24.0	64	45.7	36	19.6	80	3.2
less than high school high school	42 92	21.0 46.0	64 60	45.7 42.9	36 87	18.6 44.8	80 559	3.∠ 22.4
some college	52 52	26.0	5	3.6	34	17.5	544	21.8
college graduate	9	4.5	10	7.1	28	14.4	915	36.6
more than college	5	2.5	1	1	9	4.6	403	16.1
Marital status								
married	99	38.2	84	54.5	160	76.2	2,234	86.0
not married	160	61.8	70	45.5	50	23.8	364	14.0
Race								
White	87	33.6	61	39.6	75	35.7	2,598	100.0
Black	1		0	0.0	2	¹ ¹	0	0.0
Asian or American Indian Other	0 171	0.0 66.0	0 93	0.0 60.4	3 130	61.9	0	0.0 0.0
Language preference								
English	166	64.1	33	21.4	83	39.5	2,372	91.7
Spanish	92	35.5	117	76.0	88	41.9	4	1
Portugese	0	0.0	3	 ¹	39	18.6	179	6.9
Other	1	1	1	1	0	0.0	31	1.2

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B7.2 Maternal Risk Factors by Ethnicity: Framingham 1996-1999.

	Puerto	Rican	Cent Amer		Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	259	100	154	100	210	100	2,598	100
Parity 1 2-3 4+	147 86 26	56.8 33.2 10.0	89 50 15	57.8 32.5 9.7	110 83 17	52.4 39.5 8.1	1,538 979 81	59.2 37.7 3.1
Smoking prior to pregnancy yes no	41 216	16.0 84.0	2 151	¹ 98.7	13 197	6.2 93.8	340 2,239	13.2 86.8
Smoking during pregnancy yes no	28 229	10.9 89.1	0 153	0.0 100.0	4 206	¹ 98.1	184 2,408	7.1 92.9
Cesarean section ² yes no	47 211	18.2 81.8	32 122	20.8 79.2	64 146	30.5 69.5	597 1,996	23.0 77.0
Maternal conditions anemia hypertension ³ diabetes ⁴ hepatitis B carrier eclampsia	2 6 5 0	2.3 1.9 0.0 0.0	2 2 4 0 0	1 1 1 0.0 0.0	2 7 5 0 1	3.3 2.4 0.0	21 90 44 1 14	0.8 3.5 1.7
Previous preterm or small for gestational age infant yes no	2 256	¹ 99.2	1 153	¹ 99.4	3 206	¹ 98.6	20 2,552	0.8 99.2

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B7.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Framingham 1996-1999.

	Puerto	Puerto Rican		Central American		er anic	White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	259	100	154	100	210	100	2,598	100
Adequate prenatal care ²	215	83.0	125	81.2	166	80.6	2,284	88.8
Payment source ³ private public self-paid	101 142 7	39.1 55.0 2.7	48 97 8	31.2 63.0 5.2	102 98 6	48.6 46.7 2.9	2,171 351 16	84.2 13.6 0.6
Site of care physician's office hospital clinic community health center HMO/other	243 12 1	94.6 4.7 1	145 7 0 2	94.2 4.5 0.0	192 7 2 5	93.2 3.4 ¹ 2.4	2,289 83 21 155	89.8 3.3 0.8 6.1
Breastfeeding ⁴ yes no	232 26	89.9 10.1	147 7	95.5 4.5	184 26	87.6 12.4	2,305 267	89.6 10.4
Pediatric provider named yes no	255 4	98.5 ¹	153 1	99.4 ¹	203 7	96.7 3.3	2,524 74	97.2 2.8

¹ Percentages based on fewer than five events are excluded.

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

3

Table B7.4 Infant Health Characteristics by Ethnicity: Framingham 1996-1999.

	Puerto	Puerto Rican		Central American		Other Hispanic		ite spanic
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	259	100	154	100	210	100	2,598	100
Birthweight (g)								
< 1,500	2	¹	1	¹	11	5.2	45	1.7
1,500 - 2,499	23	8.9	10	6.5	14	6.7	138	5.3
2,500 - 3,999	216	83.4	133	86.4	158	75.2	2,069	79.8
4,000+	18	6.9	10	3.9	27	12.9	342	13.2
Gestational age (weeks)								
< 37	19	7.3	13	8.4	23	11.0	177	6.8
37-42	238	91.9	140	90.9	186	88.6	2,407	92.7
43+	2	1	1	1	1	¹	13	0.5
Singleton birth	250	96.5	146	94.8	200	95.2	2,471	95.1
Multiple birth	9	3.5	8	5.2	10	4.8	127	4.9
Sex of infant: female	129	49.8	70	45.5	111	52.9	1,278	49.2
Abnormal conditions of newborn	4	 ¹	3	1	13	6.2	283	10.9
jaundice	3	1	1	1	4	1	145	5.6

¹ Percentages based on fewer than five events are excluded.

Table B8.1 Mother's Demographic Characteristics by Ethnicity: Waltham 1996-1999.

	Puerto	Rican Percent ¹	Cent Amer	ican	Oth Hispa	anic	Wh Non-His	spanic
	Number		Number	Percent	Number	Percent	Number	Percent
Number of births	136	100	176	100	122	100	1,830	100
Mother's birthplace								
United States	66	48.5	3	¹	15	12.6	1,624	89.0
Puerto Rico & U.S. Territories	65	47.8	0	0.0	0	0.0	0	0.0
Non - U.S. ²	5	3.7	171	98.3	104	87.4	200	11.0
Age, in years <18 18-19 20-24 25-29 30-34 35-39 40+	13 19 46 20 25 11	9.6 14.0 33.8 14.7 18.4 8.1	7 10 52 57 38 11	4.0 5.7 29.5 32.4 21.6 6.3	3 6 33 33 31 14 2	4.9 27.0 27.0 25.4 11.5	14 33 165 514 730 309 65	0.8 1.8 9.0 28.1 39.9 16.9 3.6
Education completed ³ less than high school high school some college college graduate more than college	16 47 30 9 2	15.4 45.2 28.8 8.7	87 57 13 2 0	54.7 35.8 8.2 1 0.0	33 35 24 11 10	29.2 31.0 21.2 9.7 8.8	43 427 497 522 293	2.4 24.0 27.9 29.3 16.4
Marital status married not married	51 85	37.5 62.5	86 90	48.9 51.1	86 36	70.5 29.5	1,570 260	85.8 14.2
Race White Black Asian or American Indian Other	5 1 0 130	3.7 1 0.0 95.6	7 1 0 167	4.0 1 0.0 95.4	20 0 1 101	16.4 0.0 1 82.8	1,830 0 0 0	100.0 0.0 0.0 0.0
Language preference English Spanish Portugese Other	104 31 0 1	76.5 22.8 0.0	28 147 0 0	16.0 84.0 0.0 0.0	40 77 1 1	33.6 64.7 1	1,782 3 6 31	97.8 1 0.3 1.7

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B8.2 Maternal Risk Factors by Ethnicity: Waltham 1996-1999.

	Puerto	Rican	Cent Amer		Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	136	100	176	100	122	100	1,830	100
Parity								
1	69	50.7	72	40.9	55	45.1	967	52.8
2-3	62	45.6	84	47.7	59	48.4	792	43.3
4+	5	3.7	20	11.4	8	6.6	71	3.9
Smoking prior to pregnancy								
yes	26	19.3	2	1	5	4.2	329	18.1
no	109	80.7	172	98.9	113	95.8	1,489	81.9
Smoking during pregnancy								
yes	12	8.8	0	0.0	3	1	222	12.2
no	124	91.2	175	100.0	119	97.5	1,604	87.8
Cesarean section ²								
yes	25	18.5	38	21.6	18	14.8	440	24.1
no	110	81.5	138	78.4	104	85.2	1,388	75.9
Maternal conditions								
anemia	5	3.7	4	1	6	5.0	33	1.8
hypertension ³	1	¹	9	5.1	5	4.1	102	5.6
diabetes ⁴	3	¹	6	3.4	2	1	57	3.2
hepatitis B carrier	0	0.0	0	0.0	0	0.0	3	'
eclampsia	0	0.0	0	0.0	0	0.0	13	0.7
Previous preterm or small for								
gestational age infant								
yes	0	0.0	6	3.4	0	0.0	9	0.5
no	135	100.0	169	96.6	121	100.0	1,797	99.5

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B8.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Waltham 1996-1999.

	Puerto	Rican		Central American		Other Hispanic		ite spanic
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	136	100	176	100	122	100	1,830	100
Adequate prenatal care ²	108	82.4	107	62.6	90	78.3	1,562	86.5
Payment source ³ private public self-paid	61 72 1	45.5 53.7 1	49 121 5	28.0 69.1 2.9	59 55 2	50.4 47.0	1,616 177 8	89.3 9.8 0.4
Site of care physician's office hospital clinic community health center HMO/other	82 16 1 33	62.1 12.1 ¹ 25.0	52 24 71 27	29.9 13.8 40.8 15.5	53 18 20 30	43.8 14.9 16.5 24.8	1,470 99 15 194	82.7 5.6 0.8 10.9
Breastfeeding ⁴ yes no	101 35	74.3 25.7	160 16	90.9 9.1	110 8	93.2 6.8	1,472 343	81.1 18.9
Pediatric provider named yes no	130 6	95.6 4.4	171 5	97.2 2.8	113 9	92.6 7.4	1,773 57	96.9 3.1

¹ Percentages based on fewer than five events are excluded.

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

Table B8.4 Infant Health Characteristics by Ethnicity: Waltham 1996-1999.

	Puerto	Rican	Cent Ameri		Oth Hispa		Wh Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	136	100	176	100	122	100	1,830	100
Birthweight (g)								
< 1,500	5	3.7	2	1	5	4.1	17	0.9
1,500 - 2,499	6	4.4	7	4.0	4	¹	90	4.9
2,500 - 3,999	112	83.0	153	87.4	102	84.3	1,483	81.0
4,000+	12	8.9	13	9.6	10	8.3	240	13.1
Gestational age (weeks)								
< 37	10	7.5	12	6.8	8	6.6	111	6.1
37-42	123	91.8	162	92.0	112	92.6	1,704	93.3
43+	1	¹	2	¹	1	1	11	0.6
Singleton birth	132	97.1	176	100.0	116	95.1	1,756	96.0
Multiple birth	4	1	0	0.0	6	4.9	74	4.0
Sex of infant: female	72	52.9	88	50.0	60	49.2	906	49.5
Abnormal conditions of newborn	12	8.8	29	16.5	18	14.8	313	17.1
jaundice	6	4.5	9	5.1	10	8.3	144	8.0

¹ Percentages based on fewer than five events are excluded.

Table B9.1 Mother's Demographic Characteristics by Ethnicity: Methuen 1996-1999.

	Puerto Number	Rican Percent ¹	Domi r Number	nican Percent	Oth Hispa Number		Wh Non-His Number	
Number of births	159	100	143	100	38	100	1,765	100
Mother's birthplace United States Puerto Rico & U.S. Territories	78 77	49.1 48.4	34 1	23.8 ¹	5 1	13.2 ¹	1,675 4	95.1 ¹
Non - U.S. ²	4	40.4 ¹	108	75.5	32	84.2	83	4.7
Age, in years <18 18-19 20-24 25-29 30-34 35-39 40+	19 26 48 45 16 4	11.9 16.4 30.2 28.3 10.1	10 14 44 38 24 12	7.0 9.8 30.8 26.6 16.8 8.4	1 2 5 10 10 8 2	1 13.2 26.3 26.3 21.1	35 63 244 571 583 228 41	2.0 3.6 13.8 32.4 33.0 12.9 2.3
Education completed ³ less than high school high school some college college graduate more than college	33 54 21 5 1	28.9 47.4 18.4 4.4	30 48 31 9 1	25.2 40.3 26.1 7.6	7 6 13 9 0	20.0 17.1 37.1 25.7 0.0	60 539 567 371 127	3.6 32.4 34.1 22.3 7.6
Marital status married not married	47 112	29.6 70.4	68 75	47.6 52.4	23 15	60.5 39.5	1,413 351	80.1 19.9
Race White Black Asian or American Indian Other	7 1 0 151	4.4 ¹ 0.0 95.0	2 2 0 139	¹ ¹ 0.0 97.2	7 0 0 31	18.4 0.0 0.0 81.6	1,765 0 0 0	100.0 0.0 0.0 0.0
Language preference English Spanish Portugese Other	109 48 0 2	68.6 30.2 0.0	53 90 0	37.1 62.9 0.0 0.0	24 14 0 0	63.2 36.8 0.0 0.0	1,733 5 2 17	98.6 0.3 1.0

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B9.2 Maternal Risk Factors by Ethnicity: Methuen 1996-1999.

	Puerto F Number	Rican Percent ¹	Domin Number	i can Percent	Oth Hispa Number		Whi Non-His Number	
Number of births	159	100	143	100	38	100	1,765	100
Parity 1 2-3 4+	65 74 20	40.9 46.5 12.6	61 69 13	42.7 48.3 9.1	12 22 4	31.6 57.9 '	765 894 106	43.3 50.7 6.0
Smoking prior to pregnancy yes no	20 139	12.6 87.4	7 136	4.9 95.1	7 31	18.4 81.6	404 1,352	23.0 77.0
Smoking during pregnancy yes no	16 143	10.1 89.9	3 139	¹ 97.9	2 36	¹ 94.7	224 1,541	12.7 87.3
Cesarean section ² yes no	26 133	16.4 83.6	22 121	15.4 84.6	13 25	34.2 65.8	418 1,345	23.7 76.3
Maternal conditions anemia hypertension ³ diabetes ⁴ hepatitis B carrier eclampsia	6 3 3 1 1	3.8 1 1 1	7 4 4 0 3	4.9 1 1 0.0	3 1 2 0 1	1 1 1 0.0	24 53 44 1 12	1.4 3.0 2.5
Previous preterm or small for gestational age infant yes no	1 158	¹ 99.4	0 143	0.0 100.0	1 36	¹ 97.3	11 1,750	0.6 99.4

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B9.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Methuen 1996-1999.

	Puerto	Puerto Rican		ican	Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	159	100	143	100	38	100	1,765	100
Adequate prenatal care ²	93	58.9	75	53.6	29	78.4	1,370	78.9
Payment source ³								
private	44	27.8	46	32.2	22	57.9	1,379	79.4
public	104	65.8	91	63.6	15	39.5	259	14.9
self-paid	4	¹	5	3.5	0	0.0	12	0.7
Site of care								
physician's office	59	38.1	43	30.5	22	57.9	1,461	84.3
hospital clinic	44	28.4	32	22.7	6	15.8	192	11.1
community health center	47	30.3	51	36.2	6	15.8	30	1.7
HMO/other	5	3.2	15	10.6	4	1	50	2.9
Breastfeeding ⁴								
yes	105	66.5	123	86.0	34	89.5	1,024	59.0
no	53	33.5	20	14.0	4	 ¹	712	41.0
Pediatric provider named								
yes	157	98.7	143	100.0	38	100.0	1,719	97.4
no	2	1	0	0.0	0	0.0	46	2.6

¹ Percentages based on fewer than five events are excluded.

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

Table B9.4 Infant Health Characteristics by Ethnicity: Methuen 1996-1999.

	Puerto	Puerto Rican		nican	Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	159	100	143	100	38	100	1,765	100
Birthweight (g)								
< 1,500	2	¹	0	0.0	2	¹	19	1.1
1,500 - 2,499	9	5.7	5	3.5	4	¹	87	4.9
2,500 - 3,999	136	85.5	122	85.3	28	73.7	1,441	81.7
4,000+	12	7.5	16	10.1	4	¹	216	12.3
Gestational age (weeks)								
< 37	13	8.2	8	5.6	6	15.8	110	6.3
37-42	144	90.6	132	93.0	32	84.2	1,641	93.2
43+	2	 ¹	2	 ¹	0	0.0	9	0.5
Singleton birth	159	100.0	141	98.6	31	81.6	1,678	95.1
Multiple birth	0	0.0	2	<u> </u>	7	18.4	87	4.9
Sex of infant: female	86	54.1	76	53.1	22	57.9	844	47.8
Abnormal conditions of newborn	36	22.6	40	28.0	7	18.4	222	12.6
jaundice	10	6.3	15	10.5	1	1	58	3.3

¹ Percentages based on fewer than five events are excluded.

Table B10.1 Mother's Demographic Characteristics by Ethnicity: Haverhill 1996-1999.

	Puerto	Rican	Domin	nican	Oth Hispa		Wh Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	164	100	131	100	74	100	3,017	100
Mother's birthplace								
United States	101	61.6	27	20.6	15	20.3	2,913	96.6
Puerto Rico & U.S. Territories	61	37.2	0	0.0	0	0.0	2	¹
Non - U.S. ²	2	1	104	79.4	59	79.7	101	3.3
Age, in years	20	12.2	-	2.0	1	1	74	2.5
<18 18-19	20 30	18.3	5 10	3.8 7.6	10	13.5	153	∠.5 5.1
20-24	77	47.0	31	23.7	19	25.7	512	17.0
25-29	26	15.9	47	35.9	23	31.1	890	29.5
30-34	10	6.1	24	18.3	14	18.9	946	31.4
35-39	1	1	12	9.2	6	8.1	383	12.7
40+	0	0.0	2	'	1	1	59	2.0
Education completed ³ less than high school high school some college college graduate more than college	27 56 27 2 2	23.7 49.1 23.7 1	14 47 37 14 4	12.1 40.5 31.9 12.1	23 22 10 4 4	36.5 34.9 15.9	207 871 891 638 179	7.4 31.3 32.0 22.9 6.4
Marital status married	50	30.5	78	59.5	48	64.9	2,195	72.8
not married	114	69.5	53	40.5	26	35.1	821	27.2
Race White Black Asian or American Indian Other	1 4 0 159	¹ ¹ 0.0 97.0	2 1 0 128	¹ ¹ 0.0 97.7	6 1 0 67	8.1 ¹ 0.0 90.5	3,017 0 0	100.0 0.0 0.0 0.0
Language preference English	148	90.2	81	62.3	50	67.6	2,992	99.5
Spanish	16	9.8	49	37.7	24	32.4	0	0.0
Portugese	0 0	0.0	0	0.0	0	0.0	2	'
Other	0	0.0	0	0.0	0	0.0	13	0.4

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B10.2 Maternal Risk Factors by Ethnicity: Haverhill 1996-1999.

	Puerto	Rican	Domin	nican	Oth Hispa		Wh Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	164	100	131	100	74	100	3,017	100
Parity								
1	73	44.5	53	40.5	28	37.8	1,291	42.8
2-3	80	48.8	68	51.9	33	44.6	1,501	49.8
4+	11	6.7	10	7.6	13	17.6	225	7.5
Smoking prior to pregnancy								
yes	36	22.0	6	4.6	9	12.2	897	29.8
no	128	78.0	124	95.4	65	87.8	2,109	70.2
Smoking during pregnancy								
yes	23	14.0	2	¹	6	8.1	596	19.8
no	141	86.0	128	98.5	68	91.9	2,420	80.2
Cesarean section ²								
yes	21	12.8	40	30.8	16	21.6	641	21.3
no	143	87.2	90	69.2	58	78.4	2,375	78.7
Maternal conditions								
anemia	1	¹	1	 ¹	1	1	25	0.8
hypertension ³	7	4.3	5	3.8	1	¹	78	2.6
diabetes ⁴	3	1	7	5.4	1	¹	55	1.8
hepatitis B carrier	0	0.0	0	0.0	0	0.0	5	0.2
eclampsia	0	0.0	3	1	0	0.0	20	0.7
Previous preterm or small for								
gestational age infant								
yes	5	3.0	2	1	1	¹	35	1.2
no	159	97.0	128	98.5	73	98.6	2,978	98.8

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B10.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Haverhill 1996-1999.

	Puerto	Rican	Domir	nican	Oth Hispa		White Non-Hispanic		
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	
Number of births	164	100	131	100	74	100	3,017	100	
Adequate prenatal care ²	108	66.3	81	61.8	49	66.2	2,427	80.4	
Payment source ³	10	00.0	00	00.0	0.7	50.0	0.450	70.4	
private public	49 110	29.9 67.1	38 89	29.2 68.5	37 35	50.0 47.3	2,153 690	72.4 23.2	
self-paid	1 10	07.1 ¹	3	00.5	0	47.3 0.0	18	23.2 0.6	
Site of care physician's office hospital clinic community health center HMO/other	91 66 5 2	55.5 40.2 3.0	44 69 12 5	33.8 53.1 9.2 3.8	44 26 2 2	59.5 35.1 1	2,349 509 20 93	79.1 17.1 0.7 3.1	
Breastfeeding ⁴ yes no	95 69	57.9 42.1	102 28	78.5 21.5	51 23	68.9 31.1	1,819 1,157	61.1 38.9	
Pediatric provider named									
yes no	164 0	100.0 0.0	129 2	98.5 ¹	72 2	97.3 ¹	2,968 49	98.4 1.6	

¹ Percentages based on fewer than five events are excluded.

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

45

Table B10.4 Infant Health Characteristics by Ethnicity: Haverhill 1996-1999.

	Puerto	Rican	Domir	nican	Oth Hispa		White Non-Hispanic		
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	
Number of births	164	100	131	100	74	100	3,017	100	
Birthweight (g)									
< 1,500	0	0.0	1	1	1	1	29	1.0	
1,500 - 2,499	8	4.9	9	6.9	5	6.8	172	5.7	
2,500 - 3,999	147	89.6	107	81.7	58	78.4	2,378	78.9	
4,000+	9	5.5	14	8.5	10	13.5	436	14.5	
Gestational age (weeks)									
< 37	10	6.1	7	5.3	10	13.5	243	8.1	
37-42	152	92.7	124	94.7	64	86.5	2,764	91.7	
43+	2	1	0	0.0	0	0.0	6	0.2	
Singleton birth	162	98.8	128	97.7	72	97.3	2,913	96.6	
Multiple birth	2	1	3	1	2	1	104	3.4	
Sex of infant: female	83	50.6	66	50.4	34	45.9	1,424	47.2	
Abnormal conditions of newborn	13	7.9	13	9.9	5	6.8	220	7.3	
jaundice	5	3.0	5	3.8	2	¹	52	1.7	

¹ Percentages based on fewer than five events are excluded.

Table B11.1 Mother's Demographic Characteristics by Ethnicity: Springfield and Holyoke 1996-1999.

	Puerto	Rican	Spring Oth Hispa	er		White Non-Hispanic Puerto Rican		Rican	<u>Holyoke</u> Other Hispanic		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	-
Number of births	3,223	100	196	100	3,400	100	1,631	100	56	100	930	100
Mother's birthplace												
United States	1,678	52.1	70	35.9	3,161	93.0	668	41.0	19	33.9	888	95.6
Puerto Rico & U.S. Territories	1,523	47.3	3	¹	4	¹	953	58.4	0	0.0	3	¹
Non - U.S. ²	22	0.7	122	62.6	233	6.9	10	0.6	37	66.1	38	4.1
Age, in years												
<18	479	14.9	11	5.6	115	3.4	255	15.6	3	1	25	2.7
18-19	528	16.4	21	10.7	255	7.5	339	20.8	5	8.9	71	7.6
20-24	1,184	36.7	57	29.1	736	21.6	560	34.3	15	26.8	173	18.6
25-29	633	19.6	62	31.6	977	28.7	271	16.6	14	25.0	280	30.1
30-34	280	8.7	30	15.3	831	24.4	136	8.3	9	13.8	253	27.2
35-39	100	3.1	11	5.6	398	11.7	58	3.6	9	10.7	107	11.5
40+	19	0.6	4	 ¹	88	2.6	12	0.7	1	 ¹	21	2.3
Education completed ³												
less than high school	840	38.0	51	31.1	263	8.7	454	43.8	9	18.8	78	9.4
high school	826	37.3	49	29.9	1,085	35.8	374	36.1	19	39.6	279	33.5
some college	485	21.9	51	31.1	1,038	34.3	183	17.7	14	29.2	270	32.4
college graduate	45	2.0	7	4.3	458	15.1	22	2.1	5	10.4	143	17.1
more than college	16	0.7	6	3.7	183	6.0	3	1	1	1	64	7.7
Marital status												
married	729	22.6	76	38.8	2,160	63.5	331	20.3	35	62.5	600	64.5
not married	2,491	77.4	120	61.2	1,240	36.5	1,300	79.7	21	37.5	330	35.5
Race												
White	132	4.1	31	15.8	3,400	100.0	563	34.5	13	23.2	930	100.0
Black	6	0.2	15	7.7	0	0.0	1	¹	1	¹	0	0.0
Asian or American Indian	2	1	1	¹	0	0.0	2	 ¹	2	 ¹	0	0.0
Other	3,083	95.7	149	76.0	0	0.0	1,065	65.3	40	71.4	0	0.0
Language preference	_											
English	2,408	74.8	123	63.1	3,306	97.2	968	59.4	33	58.9	919	98.8
Spanish	803	24.9	72	36.9	1	1	660	40.5	23	41.1	2	'
Portugese	3	1	0	0.0	4	1	0	0.0	0	0.0	0	0.0
Other	7	0.2	0	0.0	89	2.6	1	1	0	0.0	9	1.0

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B11.2 Maternal Risk Factors by Ethnicity: Springfield and Holyoke 1996-1999.

			Spring	gfield					Holy	<u>oke</u>		
	Puerto	Rican	Oth Hispa		Whi Non-His		Puerto	Rican	Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	3,223	100	196	100	3,400	100	1,631	100	56	100	930	100
Parity												
1	1,137	35.3	81	41.3	1,461	43.0	596	36.5	24	42.9	394	42.4
2-3	1,604	49.8	93	47.4	1,634	48.1	740	45.4	28	50.0	452	48.6
4+	482	15.0	22	11.2	305	9.0	295	18.1	4	1	84	9.0
Smoking prior to pregnancy												
yes	759	23.6	45	23.0	1,275	37.5	382	23.5	10	17.9	342	36.8
no	2,459	76.4	151	77.0	2,123	62.5	1,245	76.5	46	82.1	588	63.2
Smoking during pregnancy												
yes	519	16.1	19	9.7	843	24.8	288	17.7	7	12.5	222	23.9
no	2,699	83.9	177	90.3	2,555	75.2	1,340	82.3	49	87.5	708	76.1
Cesarean section ²												
yes	541	16.8	38	19.4	667	19.6	263	16.1	15	26.8	196	21.1
no	2,677	83.2	158	80.6	2,729	80.4	1,367	83.9	41	73.2	734	78.9
Maternal conditions												
anemia	311	9.7	14	7.1	126	3.7	106	6.5	3	 ¹	25	2.7
hypertension ³	67	2.1	7	3.6	97	2.9	38	2.3	0	0.0	34	3.7
diabetes ⁴	135	4.2	10	5.1	142	42	58	3.6	1	1	26	2.8
hepatitis B carrier	5	0.2	0	0.0	1	'	2	'	0	0.0	0	0.0
eclampsia	58	1.8	6	3.1	97	2.9	15	0.9	3	1	15	1.6
Previous preterm or small for												
gestational age infant												
yes	76	2.4	3	 1	49	1.4	25	1.5	0	0.0	11	1.2
no	3,142	97.6	193	98.5	3,342	98.6	1,599	98.5	56	100.0	916	98.8

¹ Percentages based on fewer than five events are excluded.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

 $^{^{2}}$ Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B11.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Springfield and Holyoke 1996-1999.

	Puerto	Rican	Springfield Other White Hispanic Non-Hispanic			Holyoke Other Puerto Rican Hispanic			er	White Non-Hispanic		
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	3,223	100	196	100	3,400	100	1,631	100	56	100	930	100
Adequate prenatal care ²	1,854	57.9	107	55.2	2,572	76.3	1,064	65.8	38	67.9	719	77.7
Payment source ³ private public self-paid	517 2,666 21	16.1 83.0 0.7	63 126 6	32.3 64.6 3.1	2,147 1,197 37	63.2 35.2 1.1	192 1,420 14	11.8 87.2 0.9	26 29 1	46.4 51.8 ¹	590 334 4	63.4 35.9 ¹
Site of care physician's office hospital clinic community health center HMO/other	1,033 2,002 1 170	32.2 62.4 ¹ 5.3	67 114 0 14	34.4 58.5 0.0 7.2	2,504 578 1 296	74.1 17.1 ¹ 8.8	658 620 12 330	40.6 38.3 0.7 20.4	28 13 0 15	50.0 23.2 0.0 26.8	715 82 0 128	77.3 8.9 0.0 13.8
Breastfeeding ⁴ yes no	1,503 1,707	46.8 53.2	137 58	70.3 29.7	1,947 1,447	57.4 42.6	864 762	53.1 46.9	47 9	83.9 16.1	590 338	63.6 36.4
Pediatric provider named yes no	3,188 35	98.9 1.1	195 1	99.5 ¹	3,381 19	99.4 0.6	1,610 21	98.7 1.3	56 0	100.0 0.0	922 8	99.1 0.9

¹ Percentages based on fewer than five events are excluded.

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

Table B11.4 Infant Health Characteristics by Ethnicity: Springfield and Holyoke 1996-1999.

			Spring	qfield					Holy	<u>oke</u>		
	Puerto	Rican	Oth Hispa			White Non-Hispanic		Puerto Rican		er anic	Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	3,223	100	196	100	3,400	100	1,631	100	56	100	930	100
Birthweight (g)												
< 1,500	76	2.4	0	0.0	42	1.2	30	1.8	1	1	8	0.9
1,500 - 2,499	262	8.1	11	5.6	212	6.2	111	6.8	4	1	48	5.2
2,500 - 3,999	2,727	84.6	161	82.1	2,712	79.8	1,392	85.5	46	82.1	737	79.2
4,000+	158	4.9	24	12.2	433	12.7	96	5.9	5	8.9	137	14.7
Gestational age (weeks)												
< 37	395	12.3	18	9.2	302	8.9	146	9.0	3	<u> </u>	55	5.9
37-42	2,818	87.6	178	90.8	3,087	91.0	1,473	90.9	52	92.9	873	94.1
43+	4	1	0	0.0	5	0.1	2	¹	1	<u> </u>	0	0.0
Singleton birth	3,152	97.8	192	98.0	3,284	96.6	1,586	97.2	54	96.4	904	97.2
Multiple birth	71	2.2	4	<u> </u>	116	3.4	45	2.8	2	1	26	2.8
Sex of infant: female	1,601	49.7	102	52.0	1,689	49.7	788	48.3	30	53.6	468	50.3
Abnormal conditions of newborn jaundice	1,393 447	43.2 13.9	85 27	43.4 13.8	1,328 395	39.1 11.6	412 129	25.3 7.9	22 6	39.3 10.7	261 82	28.1 8.8

¹ Percentages based on fewer than five events are excluded.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

Table B12.1 Mother's Demographic Characteristics by Ethnicity: New Bedford and Somerville 1996-1999.

	Puerto	Rican	New Be Oth Hispa	er		White Non-Hispanic		Salvadoran		r <u>ville</u> er anic	Whi	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	559	100	130	100	3,504	100	389	100	273	100	2,244	100
Mother's birthplace												
United States	307	54.9	25	19.2	2,809	80.2	5	1.3	78	28.6	1,612	71.9
Puerto Rico & U.S. Territories	252	45.1	0	0.0	5	0.1	0	0.0	28	10.3	1	¹
Non - U.S. ²	0	0.0	105	80.8	690	19.7	382	98.7	167	61.2	630	28.1
Age, in years												
<18 18-19 20-24 25-29 30-34 35-39 40+ Education completed ³ less than high school high school some college college graduate more than college	88 107 225 80 40 16 3 154 134 64 8	15.7 19.1 40.3 14.3 7.2 2.9 	8 11 46 40 19 6 0 47 41 13 6 2	6.2 8.5 35.4 30.8 14.6 4.6 0.0 43.1 37.6 11.9 5.5	148 335 1,044 1,026 678 230 43 585 1,289 801 277 64	4.2 9.6 29.8 29.3 19.3 6.6 1.2 19.4 42.7 26.6 9.2 2.1	16 36 127 109 76 21 4 230 78 20 7	4.1 9.3 32.6 28.0 19.5 5.4 68.5 23.2 6.0 2.1	12 14 59 81 68 34 5 45 77 58 43 23	2.7 3.2 13.4 29.7 24.9 12.5 1.8 18.3 31.3 23.6 17.5 9.3	58 67 281 623 755 366 94 174 614 443 441 446	2.6 3.0 12.5 27.8 33.6 16.3 4.4 8.2 29.0 20.9 20.8 21.1
Marital status married not married	142 417	25.4 74.6	39 91	30.0 70.0	1,989 1,515	56.8 43.2	165 224	42.4 57.6	163 110	59.7 40.3	1,715 529	76.4 23.6
Race White Black Asian or American Indian Other	22 3 0 534	3.9 ¹ 0.0 95.5	13 4 0 113	10.0 1 0.0 86.9	3,504 0 0	100.0 0.0 0.0 0.0	19 0 0 370	4.9 0.0 0.0 95.1	67 2 3 201	24.5 ¹ ¹ 73.6	2,244 0 0 0	100.0 0.0 0.0 0.0
Language preference English Spanish Portugese Other	414 144 0 1	74.1 25.8 0.0	41 88 1 0	31.5 67.7 1	3,349 2 143 10	95.6 ¹ 4.1 0.3	30 351 1 4	7.8 90.9 1	148 107 12 5	54.4 39.3 4.4 1.8	1,910 5 267 53	85.5 0.2 11.9 2.4

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B12.2 Maternal Risk Factors by Ethnicity: New Bedford and Somerville 1996-1999.

			New Be	edford					Some	<u>rville</u>		
			Oth	er	Whi	ite			Oth	er	Whi	ite
	Puerto	Rican	Hispa	anic	Non-His	spanic	Salvad	loran	Hispa	anic	Non-His	spanic
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	559	100	130	100	3,504	100	389	100	273	100	2,244	100
Parity												
1	229	41.0	49	37.7	1,627	46.4	163	41.9	132	48.4	1,310	58.4
2-3	258	46.2	65	50.0	1,639	46.8	183	47.0	123	45.1	852	38.0
4+	72	12.9	16	12.3	238	6.8	43	11.1	18	6.6	82	3.7
Smoking prior to pregnancy												
yes	156	27.9	15	11.5	1,319	37.7	7	1.8	38	14.0	460	20.6
no	403	72.1	115	88.5	2,184	62.3	378	98.2	233	86.0	1,772	79.4
Smoking during pregnancy												
yes	111	19.9	9	6.9	885	25.3	5	1.3	22	8.1	283	12.6
no	448	80.1	121	93.1	2,618	74.7	381	98.7	250	91.9	1,958	87.4
Cesarean section ²												
yes	100	18.0	31	23.8	746	21.4	43	11.1	55	20.2	510	22.7
no	457	82.0	99	76.2	2,741	78.6	344	88.9	217	79.8	1,734	77.3
Maternal conditions												
anemia	9	1.6	5	3.9	28	0.8	15	3.9	9	3.3	44	2.0
hypertension ³	5	0.9	5	3.9	92	2.7	11	2.8	7	2.6	98	4.4
diabetes 4	18	3.2	3	1	141	4.1	12	3.1	6	2.2	72	3.2
hepatitis B carrier	0	0.0	0	0.0	4	'	1	'	1	'	3	
eclampsia	3	1	0	0.0	7	0.2	0	0.0	2	 ¹	15	0.7
Previous preterm or small for												
gestational age infant												
yes	12	2.2	2	1	44	1.3	3	 1	7	2.6	14	0.6
no	545	97.8	127	98.4	3,423	98.7	383	99.2	265	97.4	2,226	99.4

¹ Percentages based on fewer than five events are excluded.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

²Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B12.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: New Bedford and Somerville 1996-1999.

		New Bedford							Some	<u>rville</u>		
	Puerto	Rican	Other Hispanic		White Non-Hispanic		Salvadoran		Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	559	100	130	100	3,504	100	389	100	273	100	2,244	100
Adequate prenatal care ²	316	58.3	55	44.7	2,680	77.7	228	59.4	184	68.7	1,822	81.9
Payment source ³ private public self-paid	57 491 3	10.2 88.2 ¹	10 104 10	7.9 81.9 7.9	1,743 1,627 48	49.9 46.6 1.4	112 267 5	29.0 69.2 1.3	142 126 2	52.4 46.5 1	1,619 570 23	72.8 25.6 1.0
Site of care physician's office hospital clinic community health center HMO/other	546 3 0 3	98.9 ¹ 0.0	123 2 2 0	96.9 ¹ ¹ 0.0	3,443 20 5 5	99.1 0.6 0.1 0.1	27 133 204 21	7.0 34.5 53.0 5.5	77 92 63 39	28.4 47.4 23.2 14.4	1,063 537 277 350	47.7 24.1 12.4 15.7
Breastfeeding ⁴ yes no	224 332	40.3 59.7	88 40	68.8 31.3	1,269 2,220	36.4 63.6	356 30	92.2 7.8	240 31	88.6 11.4	1,670 557	75.0 25.0
Pediatric provider named yes no	555 4	99.3 ¹	128 2	98.5 ¹	3,477 27	99.2 0.8	363 26	93.3 6.7	255 18	93.4 6.6	2,165 79	96.5 3.5

¹ Percentages based on fewer than five events are excluded.

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

5

Table B12.4 Infant Health Characteristics by Ethnicity: New Bedford and Somerville 1996-1999.

			New Be	edford					Some	rville		
	Puerto	Rican	Other Hispanic		White Non-Hispanic		Salvadoran		Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	559	100	130	100	3,504	100	389	100	273	100	2,244	100
Birthweight (g)												
< 1,500	1	1	0	0.0	11	0.3	2	1	3	1	20	0.9
1,500 - 2,499	39	7.0	6	4.7	181	5.2	29	7.5	16	5.9	105	4.7
2,500 - 3,999	478	85.7	112	87.5	2,986	85.6	333	85.6	220	80.9	1,798	80.3
4,000+	40	7.2	10	7.8	310	8.9	25	6.4	33	12.1	316	14.1
Gestational age (weeks)												
< 37	37	7.0	4	<u> </u>	131	3.9	26	6.7	28	10.3	121	5.4
37-42	494	93.0	119	96.7	3,202	96.0	361	93.3	243	89.7	2,103	94.1
43+	0	0.0	0	0.0	1	<u> </u>	0	0.0	0	0.0	11	0.5
Singleton birth	554	99.1	128	98.5	3,435	98.0	387	99.5	265	97.1	2,180	97.1
Multiple birth	5	0.9	2	1	69	2.0	2	1	8	2.9	64	2.9
Sex of infant: female	279	49.9	62	47.7	1,692	48.3	197	50.6	127	46.5	1,020	45.5
Abnormal conditions of newborn	60	10.7	23	17.7	343	9.8	28	7.2	21	7.7	173	7.7
jaundice	32	5.8	13	10.1	139	4.0	3	1	7	2.6	59	2.6

¹ Percentages based on fewer than five events are excluded.

Note: Percentages may not add to 100% due to missing values. Percentages are calculated based only on those births with known values for the characteristic of interest.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

Table B13.1 Mother's Demographic Characteristics by Ethnicity: Brockton and Fitchburg 1996-1999.

	<u>Brockton</u> Other White								Fitchb			
	5	D :						D.	Othe		Whit	
	Puerto	Percent ¹	Hispa		Non-His	_	Puerto I		Hispar		Non-His	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	407	100	210	100	2,835	100	396	100	86	100	1,409	100
Mother's birthplace												
United States	186	45.7	50	23.8	2,686	94.7	173	43.7	23	27.7	1,370	97.3
Puerto Rico & U.S. Territories	215	52.8	0	0.0	1	¹	216	54.5	0	0.0	2	1
Non - U.S. ²	6	1.5	160	76.2	148	5.2	7	1.8	60	72.3	36	2.6
Age, in years										_		
<18	55	13.5	11	5.2	96	3.4	53	13.4	2	1	59	4.2
18-19 20-24	67 161	16.5 39.6	17 56	8.1 26.7	217 683	7.7 24.1	84 154	21.2 38.9	10 30	11.6 34.9	119 382	8.4 27.1
25-29	75	39.6 18.4	56 54	26.7 25.7	833	24.1 29.4	76	36.9 19.2	27	34.9 31.4	302 402	28.5
30-34	33	8.1	43	20.5	649	22.9	21	5.3	13	11.8	294	20.9
35-39	13	3.2	25	11.9	302	10.7	7	1.8	4	<u> </u>	130	9.2
40+	3	1	4	1	55	1.9	1	1	0	0.0	23	1.7
Education completed ³												
less than high school	111	38.9	38	21.1	297	11.8	112	43.2	24	32.4	138	11.2
high school	115	40.4	71	39.4	1,026	40.7	95	36.7	28	37.8	482	39.2
some college	58 0	20.4 0.0	55 12	30.6 6.7	823 303	32.6 12.0	47 4	18.1 ¹	18 4	24.3	371 178	30.1 14.5
college graduate more than college	1	0.0	4	6.7 1	303 72	2.9	4	 1	0	0.0	62	5.0
	'		4		12	2.9	'		0	0.0	02	3.0
Marital status married	98	24.1	127	60.5	1 500	56.4	119	30.1	49	57.0	855	60.7
not married	309	75.9	83	39.5	1,599 1,236	43.6	277	69.9	37	43.0	554	39.3
	303	70.0	0.5	33.3	1,200	40.0	211	05.5	01	40.0	354	55.5
Race White	30	7.4	40	19.1	2,835	100.0	27	6.8	11	12.8	1,409	100.0
Black	10	7.4 2.5	12	5.7	2,035	0.0	1	0.0 ¹	3	12.0 ¹	1,409	0.0
Asian or American Indian	0	0.0	1	J.7	0	0.0	2	1	2	1	0	0.0
Other	367	90.2	156	74.6	0	0.0	366	92.4	70	81.4	0	0.0
Language preference												
English	291	71.7	108	51.4	2,784	98.3	286	72.2	46	53.5	1,402	99.6
Spanish	111	27.3	93	44.3	4	¹	107	27.0	40	46.5	2	¹
Portugese Other	1 3	¹	6 3	2.9	30 13	1.1 0.5	1 2	¹	0	0.0 0.0	1 2	¹
Otilei	3		3		13	0.5			l ⁰	0.0		

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B13.2 Maternal Risk Factors by Ethnicity: Brockton and Fitchburg 1996-1999.

		Brockton Other White Puerto Rican Hispanic Non-Hispanic							Fitch Oth		Whi	te
	Puerto	Rican	Hispa				Puerto	Rican	Hispa		Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	407	100	210	100	2,835	100	396	100	86	100	1,409	100
Parity												
1	164	40.3	86	41.0	1,195	42.2	145	36.6	37	43.0	551	39.1
2-3	191	46.9	104	49.5	1,375	48.5	194	49.0	41	47.7	715	50.7
4+	52	12.8	20	9.5	265	9.3	57	14.4	8	9.3	143	10.1
Smoking prior to pregnancy												
yes	77	19.0	30	14.4	1,107	39.1	94	23.7	16	18.6	542	38.5
no	329	81.0	179	85.6	1,723	60.9	302	76.3	70	81.4	864	61.5
Smoking during pregnancy												
yes	48	11.8	13	6.2	760	26.8	65	16.4	11	12.8	387	27.5
no	359	88.2	196	93.8	2,074	73.2	331	83.6	75	87.2	1,022	72.5
Cesarean section ²												
yes	76	18.7	49	23.3	586	20.7	68	17.2	14	16.3	295	21.0
no	331	81.3	161	76.7	2,248	79.3	327	82.8	72	83.7	1,113	79.0
Maternal conditions												
anemia	11	2.7	3	 ¹	17	0.6	17	4.3	4	¹	19	1.4
hypertension ³	7	1.7	8	3.8	85	3.0	11	2.8	1	1	60	4.3
diabetes 4	15	3.7	11	5.2	85	3.0	8	2.0	4	¹	33	2.4
hepatitis B carrier	0	0.0	0	0.0	3	'	1	'	0	0.0	3	'
eclampsia	4	 ¹	3	 ¹	17	0.6	1	1	0	0.0	4	1
Previous preterm or small for												
gestational age infant				*						~		
yes	7	1.7	2	 ¹	31	1.1	19	4.8	4	 ¹	42	3.0
no	399	98.3	208	99.0	2,799	98.9	374	95.2	82	95.3	1,361	97.0

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

Table B13.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Brockton and Fitchburg 1996-1999.

	Puerto	Puerto Rican		kton er anic	Whi Non-His		Puerto	Rican	Fitch! Oth Hispa	er	Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	407	100	210	100	2,835	100	396	100	86	100	1,409	100
Adequate prenatal care 2	228	56.4	122	58.1	2,044	72.5	257	65.4	44	51.8	1,053	75.6
Payment source ³ private public self-paid Site of care physician's office hospital clinic community health center HMO/other	79 324 3 375 13 11 6	19.5 79.8 ' 92.6 3.2 2.7 1.5	85 116 9 178 15 8 6	40.5 55.2 4.3 86.0 7.2 3.9 2.9	1,713 1,077 26 2,626 82 26 89	60.5 38.0 0.9 93.0 2.9 0.9 3.2	83 305 6 292 14 4 84	21.1 77.4 1.5 74.1 3.6 1 21.3	30 52 2 59 1 2 24	35.3 61.2 ' 68.6 ' 27.9	926 445 21 1,095 32 12 252	66.2 31.8 1.5 78.7 2.3 0.9 18.1
Breastfeeding ⁴ yes no Pediatric provider named yes no	222 183 401 6	54.8 45.2 98.5 1.5	164 45 205 5	78.5 21.5 97.6 2.4	1,439 1,391 2,792 43	50.8 49.2 98.5 1.5	231 164 394 2	58.5 41.5 99.5	66 20 86 0	76.7 23.3 100.0 0.0	809 590 1,398 11	57.8 42.2 99.2 0.8

¹ Percentages based on fewer than five events are excluded.

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

Table B13.4 Infant Health Characteristics by Ethnicity: Brockton and Fitchburg 1996-1999.

			Brocl	<u>kton</u>					Fitchl	burg		
	Puerto	Rican	Oth Hispa		Whi Non-His		Puerto	Rican	Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	407	100	210	100	2,835	100	396	100	86	100	1,409	100
Birthweight (g)												
< 1,500	8	2.0	4	1	34	1.2	3	1	0	0.0	16	1.1
1,500 - 2,499	39	9.6	18	8.6	185	6.5	28	7.1	4	<u> </u>	95	6.8
2,500 - 3,999	340	83.5	172	81.9	2,290	80.9	347	87.6	71	82.6	1,153	81.9
4,000+	20	4.9	16	7.6	323	11.4	18	4.5	11	12.8	143	10.2
Gestational age (weeks)												
< 37	39	9.6	20	9.6	240	8.5	31	7.9	3	<u> </u>	124	8.8
37-42	366	89.9	189	90.4	2,585	91.3	363	92.1	82	96.5	1,279	91.1
43+	2	 ¹	0	0.0	6	0.2	0	0.0	0	0.0	1	1
Singleton birth	397	97.5	199	94.8	2,749	97.0	382	96.5	86	100.0	1,354	96.1
Multiple birth	10	2.5	11	5.2	86	3.0	14	3.5	0	0.0	55	3.9
Sex of infant: female	210	51.6	110	52.4	1,378	48.6	212	53.5	43	50.0	700	49.7
Abnormal conditions of newborn	11	2.7	13	6.2	122	4.3	20	5.1	2	 ¹	92	6.5
jaundice	2	1	1	1	48	1.7	2	¹	1	 1	34	2.4

¹ Percentages based on fewer than five events are excluded.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

Table B14.1 Mother's Demographic Characteristics by Ethnicity: Leominster and Chicopee 1996-1999.

		<u>Leominster</u> Other White							Chico			
	D	D'					D	D'	Oth		Whit	
	Puerto		Hispa		Non-His	-	Puerto		Hispa		Non-His	•
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	294	100	86	100	1,793	100	316	100	31	100	1,905	100
Mother's birthplace												
United States	125	42.5	26	30.2	1,722	96.1	166	52.5	11	35.5	1,750	91.9
Puerto Rico & U.S. Territories	163	55.4	2	1	1	¹	146	46.2	0	0.0	l 1	1
Non - U.S. ²	6	2.0	58	67.4	69	3.9	4	1	20	64.5	153	8.0
Age, in years												
<18	30	10.2	1	 ¹	32	1.8	31	9.8	1	1	48	2.5
18-19	56	19.0	6	7.0	75	4.2	41	13.0	1	1	126	6.6
20-24	103	35.0	24	27.9	299	16.7	116	36.7	7	22.6	412	21.6
25-29	65	22.1	29	33.7	557	31.1	85	26.9	8	25.8	606	31.8
30-34	29	9.9	15	17.4	574	32.0	33	10.4	9	29.0	465	24.4
35-39	10	3.4	10	11.6	222	12.4	9	2.8	5	16.1	211	11.1
40+	1	'	1	'	34	1.9	1	'	0	0.0	37	2.0
Education completed ³												
less than high school	60	28.8	14	17.7	102	6.0	81	33.2	3	1	159	9.2
high school	83	39.9	29	36.7	525	31.1	104	42.6	14	48.3	695	40.2
some college	58	27.9	25	31.6	570	33.8	54	22.1	11	37.9	646	37.3
college graduate	6	2.9	8	10.1	362	21.5	3	1	1	1	175	10.1
more than college	1	1	3	1	127	7.5	2	1	0	0.0	55	3.2
Marital status												
married	108	36.7	43	50.0	1,392	77.6	73	23.1	17	54.8	1,244	65.3
not married	186	63.3	43	50.0	401	22.4	243	76.9	14	45.2	661	34.7
Race												
White	20	6.8	16	18.6	1,793	100.0	58	18.4	9	29.0	1,905	100.0
Black	2	1	2	1	0	0.0	0	0.0	0	0.0	0	0.0
Asian or American Indian	2	1	1	1	0	0.0	0	0.0	0	0.0	0	0.0
Other	270	91.8	67	77.9	0	0.0	258	81.6	22	71.0	0	0.0
Language preference												
English	210	71.4	53	61.6	1,779	99.4	257	81.3	20	64.5	1,830	96.1
Spanish	84	28.6	29	33.7	1	¹	58	18.4	11	35.5	1	'
Portugese	0	0.0	2	¹	4	 ¹	0	0.0	0	0.0	4	'
Other	0	0.0	2	1	6	0.3	1	1	0	0.0	70	3.7

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B14.2 Maternal Risk Factors by Ethnicity: Leominster and Chicopee 1996-1999.

	Puerto	Rican	<u>Leomii</u> Othe Hispa	er	Whi Non-His		Puerto	Rican	<u>Chico</u> Oth Hispa	er	Whit Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	294	100	86	100	1,793	100	316	100	31	100	1,905	100
Parity 1 2-3 4+	121 143 30	41.2 48.6 10.2	25 50 11	29.1 58.1 12.8	733 943 117	40.9 52.6 6.5	98 165 53	31.0 52.2 16.8	10 18 3	32.3 58.1 	787 968 150	41.3 50.8 7.9
Smoking prior to pregnancy yes no	50 244	17.0 83.0	10 76	11.6 88.4	464 1,326	25.9 74.1	82 234	25.9 74.1	7 24	22.6 77.4	688 1,216	36.1 63.9
Smoking during pregnancy yes no	25 269	8.5 91.5	3 83	¹ 100.0	287 1,505	16.0 84.0	58 258	18.4 81.6	3 28	¹ 90.3	478 1,426	25.1 74.9
Cesarean section yes no	62 231	21.2 78.8	11 75	12.8 87.2	413 1,376	23.1 100.0	62 254	19.6 80.4	8 23	25.8 74.2	394 1,510	20.7 79.3
Maternal conditions anemia hypertension diabetes ⁴ hepatitis B carrier eclampsia	9 8 9 0 1	3.1 2.7 3.1 0.0	2 1 3 1 0	1 1 1 1 0.0	14 71 54 0 13	0.8 4.0 3.0 0.0 0.7	31 9 17 0 5	9.8 2.8 5.4 0.0 1.6	0 0 3 0	0.0 0.0 1 0.0 0.0	66 64 110 1 38	3.5 3.4 5.8 1 2.0
Previous preterm or small for gestational age infant yes no	10 283	3.4 96.6	1 83	¹ 98.8	33 1,748	1.9 98.1	6 310	1.9 98.1	0 31	0.0 100.0	25 1,875	1.3 98.7

¹ Percentages based on fewer than five events are

²Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of

³ Includes both chronic and pregnancy-related

⁴Includes both gestational and other diabetes.

Table B14.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Leominster and Chicopee 1996-1999.

			Leomi	<u>nster</u>					Chico	pee		
	Puerto	Rican	Oth Hispa		Wh Non-His		Puerto	Rican	Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	294	100	86	100	1,793	100	316	100	31	100	1,905	100
Adequate prenatal care ²	206	70.8	57	66.3	1,453	81.9	209	67.4	16	53.3	1,400	74.0
Payment source ³ private public self-paid	108 181 3	36.7 61.6	39 45 2	45.3 52.3	1,470 299 6	82.5 16.8 0.3	49 261 3	15.5 82.6 ¹	13 18 0	41.9 58.1 0.0	1,239 637 18	65.1 33.5 0.9
Site of care physician's office hospital clinic community health center HMO/other	201 10 7 75	68.6 3.4 2.4 25.6	59 3 3 21	68.6 1 1 24.4	1,460 22 9 284	82.3 1.2 0.5 16.0	95 163 0 56	30.3 51.9 0.0 17.8	16 10 0 5	51.6 32.3 0.0 16.1	1,446 239 1 209	76.3 12.6 1
Breastfeeding ⁴ yes no	189 105	64.3 35.7	67 19	77.9 22.1	1,134 650	63.6 36.4	157 159	49.7 50.3	23 8	74.2 25.8	1,128 775	59.3 40.7
Pediatric provider named yes no	294 0	100.0 0.0	86 0	100.0 0.0	1,777 16	99.1 0.9	314 2	99.4 ¹	31 0	100.0 0.0	1,892 13	99.3 0.7

¹ Percentages based on fewer than five events are excluded.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

²Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

Table B14.4 Infant Health Characteristics by Ethnicity: Leominster and Chicopee 1996-1999.

			Leomi	<u>nster</u>					Chico	pee		
	Puerto	Rican	Oth Hispa		Whi Non-His		Puerto	Rican	Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	294	100	86	100	1,793	100	316	100	31	100	1,905	100
Birthweight (g)												
< 1,500	5	1.7	1	1	21	1.2	9	2.8	0	0.0	32	1.7
1,500 - 2,499	22	7.5	5	5.8	101	5.6	19	6.0	2	1	97	5.1
2,500 - 3,999	252	85.7	70	81.4	1,450	81.1	260	82.3	25	80.6	1,515	79.6
4,000+	15	5.1	10	11.6	216	12.1	28	8.9	4	¹	260	13.7
Gestational age (weeks)												
< 37	30	10.3	7	8.1	145	8.1	39	12.4	3	 ¹	151	7.9
37-42	262	89.7	79	91.9	1,642	91.8	276	87.6	28	90.3	1,748	92.0
43+	0	0.0	0	0.0	2	¹	0	0.0	0	0.0	1	 ¹
Singleton birth	284	96.6	84	97.7	1,737	96.9	298	94.3	31	100.0	1,835	96.3
Multiple birth	10	3.4	2	¹	56	3.1	18	5.7	0	0.0	70	3.7
Sex of infant: female	140	47.6	44	51.2	849	47.4	148	46.8	19	61.3	911	47.8
Abnormal conditions of newborn	13	4.4	4	 ¹	106	5.9	136	43.0	11	35.5	729	38.3
jaundice	5	1.7	0	0.0	38	2.1	41	13.0	3	1	213	11.2

¹ Percentages based on fewer than five events are excluded.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

Table B15.1 Mother's Demographic Characteristics by Ethnicity: Salem and Southbridge 1996-1999.

			<u>Sale</u> Oth		Whi	te			Southb Oth		Whi	te
	Domir	ican	Hispa	nic	Non-His	panic	Puerto	Rican	Hispa	anic	Non-His	panic
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	250	100	95	100	1,525	100	266	100	18	100	614	100
Mother's birthplace												
United States	24	9.6	44	46.3	1,422	93.4	96	36.1	5	27.8	599	97.6
Puerto Rico & U.S. Territories	1	1	38	40.0	1	¹	168	63.2	0	0.0	0	0.0
Non - U.S. ²	225	90.0	13	13.7	99	6.5	2	¹	13	72.2	15	2.4
Age, in years												
<18	17	6.8	10	10.5	33	2.2	42	15.8	1	1	23	3.7
18-19	24	9.6	15	15.8	56	3.7	47	17.7	1	¹	58	9.4
20-24	53	21.2	31	32.6	194	12.7	97	36.5	4	 ¹	170	27.7
25-29	89	35.6	23	24.2	437	28.7	49	18.4	6	33.3	203	33.1
30-34	45	18.0	8	8.4	509	33.4	26	9.8	3	¹	114	18.6
35-39	19	7.6	6	6.3	243	15.9	4	¹ ¹	3	1	34	5.5
40+	3		2		53	3.5	1		0	0.0	12	2.0
Education completed ³												
less than high school	60	28.8	19	27.1	57	4.0	71	40.1	6	37.5	70	13.1
high school	69	33.2	22	31.4	390	27.2	62	35.0	3	1	245	46.0
some college	54	26.0	21	30.0	465	32.4	39	22.0	3	1	135	25.3
college graduate	16	7.7	6	8.6	368	25.6	4	1	3	1	63	11.8
more than college	9	4.3	2	1	155	10.8	1	1	1	 ¹	20	3.8
Marital status												
married	106	42.4	29	30.5	1,121	73.5	64	24.1	12	66.7	391	63.7
not married	144	57.6	66	69.5	404	26.5	202	75.9	6	33.3	223	36.3
Race										1		
White	4	1	13	13.7	1,525	100.0	7	2.6	3	¹	614	100.0
Black	2	¹	3	1	0	0.0	1	¹	1	¹	0	0.0
Asian or American Indian	0	0.0	0	0.0	0	0.0	1	1	0	0.0	0	0.0
Other	244	97.6	79	83.2	0	0.0	257	96.6	14	77.8	0	0.0
Language preference												
English	105	42.0	74	77.9	1,500	98.7	176	66.2	12	66.7	611	99.5
Spanish	143	57.2	19	20.0	0	0.0	90	33.8	6	33.3	0	0.0
Portugese	0	0.0	0	0.0	4	¹	0	0.0	0	0.0	0	0.0
Other	2	1	2	1	15	1.0	0	0.0	0	0.0	3	1

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B15.2 Maternal Risk Factors by Ethnicity: Salem and Southbridge 1996-1999.

			Sale	<u>em</u>					Southb	orid <u>ge</u>		
	Domir	nican	Oth Hispa		Whi Non-His		Puerto	Rican	Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	250	100	95	100	1,525	100	266	100	18	100	614	100
Parity												
1	92	36.8	39	41.1	742	48.7	108	40.6	5	27.8	279	45.4
2-3	134	53.6	41	43.2	707	46.4	133	50.0	10	55.6	291	47.4
4+	24	9.6	15	15.8	76	5.0	25	9.4	3	1	44	7.2
Smoking prior to pregnancy												
yes	14	5.6	24	25.3	424	28.0	60	22.6	4	 ¹	229	37.3
no	236	94.4	71	74.7	1,092	72.0	206	77.4	14	77.8	385	62.7
Smoking during pregnancy												
yes	7	2.8	13	13.7	258	17.0	33	12.4	3	1	159	25.9
no	243	97.2	82	86.3	1,263	83.0	233	87.6	15	83.3	455	74.1
Cesarean section ²												
yes	48	19.2	12	12.6	321	21.1	49	18.5	6	33.3	117	19.1
no	202	80.8	83	87.4	1,203	78.9	216	81.5	12	66.7	494	80.9
Maternal conditions												
anemia	0	0.0	1	 1	13	0.9	9	3.4	0	0.0	10	1.6
hypertension ³	1	¹	0	0.0	22	1.4	13	4.9	1	1	41	6.7
diabetes ⁴	5	2.0	1	1	26	1.7	12	4.5	1 1	1	22	3.6
hepatitis B carrier	0	0.0	0	0.0	0	0.0	2	'	1	1	2	'
eclampsia	1	 ¹	0	0.0	16	1.1	0	0.0	0	0.0	2	 ¹
Previous preterm or small for gestational age infant												
yes	2	¹	1	1	9	0.6	23	8.7	1	1	19	3.1
no	248	99.2	94	98.9	1,514	99.4	242	91.3	17	94.4	592	96.9

¹ Percentages based on fewer than five events are excluded.

 $^{^{2}}$ Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B15.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Salem and Southbridge 1996-1999.

			Sale	<u>em</u>					Southb	<u>oridge</u>		
	Domii	nican	Oth Hispa		Whi Non-His		Puerto	Rican	Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	250	100	95	100	1,525	100	266	100	18	100	614	100
Adequate prenatal care ²	175	70.0	75	78.9	1,270	84.1	196	74.2	10	55.6	509	83.0
Payment source ³												
private	45	18.0	28	29.5	1,104	72.9	81	30.6	10	55.6	394	64.3
public	196	78.4	67	70.5	327	21.6	175	66.0	8	44.4	214	34.9
self-paid	0	0.0	0	0.0	6	0.4	8	3.0	0	0.0	3	1
Site of care												
physician's office	170	68.0	59	62.1	1,279	84.2	245	92.8	15	83.3	532	87.4
hospital clinic	53	21.2	24	25.3	107	7.0	6	2.3	0	0.0	20	3.3
community health center	15	6.0	9	9.5	22	1.4	3	1	0	0.0	3	1
HMO/other	12	4.8	3	1	111	7.3	10	3.8	3	1	54	8.9
Breastfeeding ⁴												
yes	208	83.2	66	69.5	962	63.4	175	66.0	15	83.3	378	61.7
no	42	16.8	29	30.5	555	36.6	90	34.0	3	1	235	38.3
Pediatric provider named												
yes	248	99.2	95	100.0	1,495	98.0	262	98.5	18	100.0	608	99.0
no	2	 ¹	0	0.0	30	2.0	4	 ¹	0	0.0	6	1.0

¹ Percentages based on fewer than five events are excluded.

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

65

Table B15.4 Infant Health Characteristics by Ethnicity: Salem and Southbridge 1996-1999.

			Sale	<u>em</u>					Southb	<u>oridge</u>		
	Domii	nican	Oth Hispa		Whi Non-His		Puerto	Rican	Oth Hispa		Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	250	100	95	100	1,525	100	266	100	18	100	614	100
Birthweight (g)												
< 1,500	4	1	1	1	22	1.4	4	1	0	0.0	13	2.1
1,500 - 2,499	14	5.6	4	1	92	6.0	16	6.0	1	1	36	5.9
2,500 - 3,999	208	83.2	83	87.4	1,208	79.3	226	85.3	15	83.3	506	82.4
4,000+	24	9.6	7	7.4	201	13.2	19	7.2	2	¹	59	9.6
Gestational age (weeks)												
< 37	19	7.6	10	10.5	126	8.3	25	9.4	1		54	8.8
37-42	231	92.4	85	89.5	1,395	91.6	240	90.6	17	94.4	560	91.2
43+	0	0.0	0	0.0	2	1	0	0.0	0	0.0	0	0.0
Singleton birth	246	98.4	95	100.0	1,471	96.5	266	100.0	18	100.0	601	97.9
Multiple birth	4	1	0	0.0	54	3.5	0	0.0	0	0.0	13	2.1
Sex of infant: female	125	50.0	51	53.7	759	49.8	124	46.6	6	33.3	293	47.7
Abnormal conditions of newborn	2	1	3	1	85	5.6	66	24.8	7	38.9	132	21.5
jaundice	1	1	1	¹	26	1.7	20	7.5	3	¹	55	9.1

¹ Percentages based on fewer than five events are excluded.

Total numbers for individual characteristics may not equal totals for a particular ethnic group due to missing values.

Table B16.1 Mother's Demographic Characteristics by Ethnicity: Everett and Cambridge 1996-1999.

			Ever	ett				Camb	ridge	
	Cen	tral	Oth	er	Whi				Whi	te
	Amer	ican	Hispa	anic	Non-His	spanic	Hispa	anic	Non-His	panic
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	153	100	126	100	1,428	100	367	100	2,344	100
Mother's birthplace										
United States	5	3.3	36	28.6	1,208	84.7	77	21.0	1,761	75.1
Puerto Rico & U.S. Territories	0	0.0	11	8.7	0	0.0	42	11.5	2	1
Non - U.S. ²	148	96.7	79	62.7	218	15.3	247	67.5	581	24.8
Age, in years										
<18	7	4.6	7	5.6	23	1.6	15	4.1	10	0.4
18-19	10	6.5	10	7.9	51	3.6	25	6.8	36	1.5
20-24	43	28.1	23	18.3	236	16.5	74	20.2	156	6.7
25-29	40	26.1	24	19.0	468	32.8	99	23.1	483	20.6
30-34	39	25.5	35	27.8	411	28.8	112	22.1	849	36.2
35-39	13	8.5	26	20.6	209	14.6	38	6.6	601	25.6
40+	1	1	1	1	30	2.1	4	1	209	9.8
Education completed ³										
less than high school	78	57.8	18	16.7	132	9.8	61	18.7	66	2.9
high school	35	25.9	38	35.2	579	42.8	78	23.9	238	10.4
some college	16	11.9	31	28.7	410	30.3	68	20.8	271	11.8
college graduate	6	4.4	21	19.4	183	13.5	43	13.1	724	31.5
more than college	0	0.0	0	0.0	49	3.6	77	23.5	998	43.4
Marital status										
married	76	49.7	74	58.7	1,023	71.7	212	57.9	2,064	88.1
not married	77	50.3	52	41.3	403	28.3	154	42.1	279	11.9
Race										
White	11	7.2	27	21.4	1,428	100.0	42	11.4	2,344	100.0
Black	0	0.0	3	¹	0	0.0	6	1.6	0	0.0
Asian or American Indian	0	0.0	2	1	0	0.0	3	1	0	0.0
Other	142	92.8	94	74.6	0	0.0	316	86.1	0	0.0
Language preference		47.0	00	540	4.007	04.4	450	40.0	0.440	00.5
English	27	17.6	68	54.0	1,297	91.1	158	43.3	2,142	92.5
Spanish	126	82.4	52	41.3	0	0.0	202	55.3	10	0.4
Portugese	0	0.0	5	4.0	108	7.6	0	0.0	53	2.3
Other	0	0.0	1		18	1.3	5	1.4	110	4.8

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B16.2 Maternal Risk Factors by Ethnicity: Everett and Cambridge 1996-1999.

			Ever	<u>ett</u>				Camb	ridge	
	Cen Amer		Oth Hispa	-	Whi Non-His		Hispa	anic	Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	153	100	126	100	1,428	100	367	100	2,344	100
Parity 1 2-3 4+	57 81 15	37.3 52.9 9.8	53 67 6	42.1 53.2 4.8	706 630 92	49.4 44.1 6.4	165 175 27	45.0 47.7 7.4	1,434 867 43	61.2 37.0 1.8
Smoking prior to pregnancy yes no	1 151	¹ 99.3	13 113	10.3 89.7	483 940	33.9 66.1	33 331	9.1 90.9	229 2,082	9.9 90.1
Smoking during pregnancy yes no	0 152	0.0 100.0	6 120	4.8 95.2	310 1,116	21.7 78.3	16 350	4.4 95.6	133 2,206	5.7 94.3
Cesarean section ² yes no	24 129	15.7 84.3	23 103	18.3 81.7	362 1,066	25.4 74.6	76 289	20.8 79.2	443 1,887	19.0 81.0
Maternal conditions anemia hypertension ³ diabetes ⁴ hepatitis B carrier eclampsia	10 3 8 0 0	6.5 ¹ 5.2 0.0 0.0	0 6 4 0 2	0.0 4.8 1 0.0	29 61 73 2 10	2.0 4.3 5.1 	17 12 11 2 3	4.7 3.3 3.0	27 90 52 3 14	1.2 3.9 2.2
Previous preterm or small for gestational age infant yes no	0 153	0.0 100.0	1 124	¹ 99.2	16 1,409	1.1 98.9	2 362	¹ 99.5	9 2,314	0.4 99.6

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B16.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Everett and Cambridge 1996-1999.

			Evei	<u>ett</u>				Camb	rid <u>ge</u>	
	Cen Amer		Oth Hispa		Whi Non-His		Hispa	anic	Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	153	100	126	100	1,428	100	367	100	2,344	100
Adequate prenatal care ²	91	60.7	82	65.6	1,143	81.6	269	74.7	1,957	85.8
Payment source ³ private public self-paid	49 101 1	32.0 66.0 1	66 52 4	52.4 41.3 1	974 412 15	68.9 29.2 1.1	210 144 7	58.0 39.8 1.9	2,042 207 36	88.8 9.0 1.6
Site of care physician's office hospital clinic community health center HMO/other	12 47 78 15	7.9 30.9 51.3 9.9	40 35 34 16	32.0 28.0 27.2 12.8	897 261 122 130	63.6 18.5 8.7 9.2	126 104 88 45	34.7 28.7 24.2 12.4	1,346 445 120 415	57.9 19.1 5.2 17.8
Breastfeeding ⁴ yes no	130 23	85.0 15.0	97 29	77.0 23.0	726 689	51.3 48.7	330 32	91.2 8.8	2,047 260	88.7 11.3
Pediatric provider named yes no	140 13	91.5 8.5	107 19	84.9 15.1	1,373 55	96.1 3.9	341 26	92.9 7.1	2,219 125	94.7 5.3

¹ Percentages based on fewer than five events are excluded.

²Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

69

Table B16.4 Infant Health Characteristics by Ethnicity: Everett and Cambridge 1996-1999.

			Evei	rett				Camb	ridge	
	Cen Amer		Oth Hispa		Whi Non-His		Hispa	anic	Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Number of births	153	100	126	100	1,428	100	367	100	2,344	100
Birthweight (g)										
< 1,500	2	1	1	1	24	1.7	1	1	27	1.2
1,500 - 2,499	6	3.9	6	4.8	83	5.8	19	5.2	118	5.0
2,500 - 3,999	134	87.6	105	83.3	1,134	79.6	317	86.6	1,887	80.6
4,000+	11	7.2	14	11.1	183	12.9	29	7.9	309	13.2
Gestational age (weeks)										
< 37	12	7.8	8	6.3	99	7.0	18	4.9	147	6.3
37-42	141	92.2	117	92.9	1,307	92.5	345	94.8	2,183	93.4
43+	0	0.0	1	¹	7	0.5	1	¹	7	0.3
Singleton birth	147	96.1	126	100.0	1,371	96.0	352	95.9	2,216	94.5
Multiple birth	6	3.9	0	0.0	57	4.0	15	4.1	128	5.5
Sex of infant: female	69	45.1	62	49.2	684	47.9	164	44.7	1,122	47.9
Abnormal conditions of newborn	12	7.8	8	6.3	84	5.9	33	9.0	196	8.4
jaundice	6	4.0	3	 ¹	24	1.7	12	3.3	73	3.1

¹ Percentages based on fewer than five events are excluded.

Table B17.1 Mother's Demographic Characteristics by Ethnicity: Revere and Marlborough 1996-1999.

		Rev	<u>ere</u>			<u>Marlbo</u>	rough	
			Whi	ite			Whi	
	Hispa	anic	Non-His	spanic	Hispa	anic	Non-His	spanic
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	326	100	1,633	100	257	100	1,732	100
Mother's birthplace								
United States	61	18.8	1,419	87.1	42	16.4	1,568	90.8
Puerto Rico & U.S. Territories	14	4.3	0	0.0	27	10.5	1	¹
Non - U.S. ²	250	76.9	211	12.9	187	73.0	158	9.1
Age, in years								
<18	18	5.5	25	1.5	24	9.3	21	1.2
18-19	23	7.1	58	3.6	28	10.9	43	2.5
20-24	84	25.8	252	15.4	73	28.4	182	10.5
25-29	90	27.6	550	33.7	73	20.4	493	28.5
30-34	74	22.7	497	30.4	37	8.7	628	36.3
35-39	29	8.9	213	13.0	22	5.0	322	18.6
40+	8	2.5	38	2.3	0	0.0	43	2.5
Education completed ³								
less than high school	82	28.9	101	6.5	101	49.3	57	3.4
high school	99	34.9	687	44.4	66	32.2	459	27.5
some college	65	22.9	510	32.9	19	9.3	407	24.4
college graduate	30	10.6	195	12.6	10	4.9	563	33.8
more than college	8	2.8	56	3.6	9	4.4	182	10.9
Marital status								
married	180	55.2	1,148	70.3	119	46.3	1,439	83.1
not married	146	44.8	485	29.7	138	53.7	293	16.9
Race								
White	55	16.9 ¹	1,633	100.0	60	23.3	1,732	100.0
Black	2		0	0.0	2		0	0.0
Asian or American Indian	5	1.5	0	0.0	0	0.0	0	0.0
Other	264	81.0	0	0.0	195	75.9	0	0.0
Language preference	405	20.2	4 5 4 0	04.0	400	44.0	4.000	07.0
English	125	38.3	1,543	94.8	106	41.2	1,683	97.2
Spanish	192	58.9	1		145	56.4	3	' 2.2
Portugese Other	6 3	1.8 ¹	34 49	2.1 3.0	5 1	1.9 ¹	38 7	2.2 0.4
Other	3		49	3.0	l			0.4

¹ Percentages based on fewer than five events are excluded.

² Outside of the United States, Puerto Rico, and U.S. Territories.

³ Women 20 years of age and older.

Table B17.2 Maternal Risk Factors by Ethnicity: Revere and Marlborough 1996-1999.

		Rev	<u>ere</u>			Maribo	rough	
	Hispa	anic	Whi Non-His		White Hispanic Non-Hispanic			
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	326	100	1,633	100	257	100	1,732	100
Parity								
1	150	46.0	777	47.6	110	42.8	966	55.8
2-3	146	44.8	766	46.9	113	44.0	693	40.0
4+	30	9.2	90	5.5	34	13.2	73	4.2
Smoking prior to pregnancy								
yes	26	8.0	535	32.9	16	6.2	301	17.4
no	300	92.0	1,090	67.1	241	93.8	1,428	82.6
Smoking during pregnancy								
yes	15	4.6	347	21.3	10	3.9	183	10.6
no	311	95.4	1,285	78.7	247	96.1	1,547	89.4
Cesarean section ²								
yes	72	22.1	393	24.1	56	21.9	355	20.6
no	254	77.9	1,238	75.9	200	78.1	1,368	79.4
Maternal conditions								
anemia	14	4.3	36	2.2	2	¹	8	0.5
hypertension ³	7	2.2	55	3.4	4	¹	56	3.3
diabetes ⁴	13	4.0	90	5.5	2	1	39	2.3
hepatitis B carrier	1	'	7	0.4	0	0.0	0	0.0
eclampsia	2	 ¹	10	0.6	1	 ¹	10	0.6
Previous preterm or small for								
gestational age infant								
yes	1	1	11	0.7	2	1	10	0.6
no	323	99.7	1,618	99.3	253	99.2	1,698	99.4

¹ Percentages based on fewer than five events are excluded.

² Includes both primary and repeat Cesarean sections. Excludes those with unknown mode of delivery.

³ Includes both chronic and pregnancy-related hypertension.

⁴ Includes both gestational and other diabetes.

Table B17.3 Prenatal and Postnatal Care Characteristics of Mothers by Ethnicity: Revere and Marlborough 1996-1999.

		Rev	<u>ere</u>			Maribo	rough	
	Hispa	anic	Whi Non-His		Hispa	anic	Whi Non-His	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	326	100	1,633	100	257	100	1,732	100
Adequate prenatal care ²	210	66.0	1,253	77.8	175	69.2	1,474	85.6
Payment source ³ private public self-paid	123 185 8	37.8 56.9 2.5	1,065 505 23	65.7 31.1 1.4	91 150 7	35.4 58.4 2.7	1,476 217 12	85.5 12.6 0.7
Site of care physician's office hospital clinic community health center HMO/other	64 66 176 19	19.7 20.3 54.2 5.8	924 273 302 112	57.4 16.9 18.7 7.0	235 7 3 11	91.8 2.7 1 4.3	1,582 38 3 80	92.9 2.2 1 4.7
Breastfeeding ⁴ yes no	267 57	82.4 17.6	842 771	52.2 47.8	221 36	86.0 14.0	1,488 239	86.2 13.8
Pediatric provider named yes no	296 30	90.8 9.2	1,535 98	94.0 6.0	255 2	99.2	1,694 38	97.8 2.2

¹ Percentages based on fewer than five events are excluded.

² Adequate prenatal care: See technical notes for definition of adequacy of care.

³ Payment source:

Private = Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance

Public = Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care Self-paid= Self-pay

⁴ Mother was breastfeeding or was intending to breastfeed as the time the birth certificate was completed.

Table B17.4 Infant Health Characteristics by Ethnicity: Revere and Marlborough 1996-1999.

		Rev	<u>ere</u>			Marlbo	rough	
	Hispa	anic	Whi Non-His		Hispa	anic	White Non-Hispanic	
	Number	Percent ¹	Number	Percent	Number	Percent	Number	Percent
Number of births	326	100	1,633	100	257	100	1,732	100
Birthweight (g)								
< 1,500	3	1	29	1.8	0	0.0	19	1.1
1,500 - 2,499	16	4.9	110	6.8	11	4.3	64	3.7
2,500 - 3,999	272	83.4	1,307	80.2	231	89.9	1,430	82.7
4,000+	35	10.7	183	11.2	15	5.8	217	12.5
Gestational age (weeks)								
< 37	15	4.6	145	9.0	8	3.1	86	5.0
37-42	308	94.8	1,469	90.7	248	96.5	1,641	94.9
43+	2	¹	5	0.3	1	¹	3	 ¹
Singleton birth	318	97.5	1,549	94.9	253	98.4	1,663	96.0
Multiple birth	8	2.5	84	5.1	4	 ¹	69	4.0
Sex of infant: female	167	51.2	793	48.6	139	54.1	869	50.2
Abnormal conditions of newborn	31	9.5	106	6.5	17	6.6	151	8.7
jaundice	17	5.2	23	1.4	6	2.4	52	3.0

¹ Percentages based on fewer than five events are excluded.

APPENDIX II TECHNICAL NOTES

Technical Notes

Limitations of small numbers:

Cells in some tables in this publication, and particularly those tables specific to the individual cities and towns, contain small numbers and are suppressed in accordance with the guidelines set forth by the MDPH-BHSR&E for suppression of confidential data. Proportions based upon less than five observations are suppressed, and trends based upon small numbers should be interpreted cautiously.

Self-reported data

Many items used in this publication, such as maternal smoking and type of health insurance coverage, are self-reported, and are subject to the usual limitations of this type of information.

Assignment of an Infant's Race/Ethnicity

Prior to 1989, the race/ethnicity of an infant was assigned by combining information on the race/ethnicity of the mother and the race/ethnicity of the father. Since 1989, Massachusetts has followed the recommendation of the National Center for Health Statistics of classifying births according to the self-reported race/ethnicity of the mother. Therefore, beginning in 1989, the race/ethnicity of an infant is identical to the self-reported race/ethnicity of the infant's mother. Beginning in 1996, the list of ethnic categories on the birth certificate was modified. The categories used for analysis in this report are: Puerto Rican, Dominican, Mexican, Cuban, Colombian, Salvadoran, Other Central American, Other South American, and Other Hispanic.


This report utilizes the Ancestry/Ethnicity field from the birth certificate. The actual question on the birth certificate reads: "Please check *one* box which you feel best describes the mother's ancestry". A list of 42 ancestry groups is available from which to choose. Note that the ancestry question is separate from the question regarding the mother's race. The race variable was not used to identify mothers for inclusion in this report; women of the 9 Hispanic ancestries included in this report can be of any race (White, Black, Asian, American Indian or Other).

Confidence Intervals and Infant Mortality Rates

The confidence interval (CI) provides a measure of stability of the IMR and a basis for comparing rates to determine if they are statistically different. Rates can be compared for the same group in different years, or for different groups in the same year. The width of the CI reflects the stability of the IMR. For example, a narrow CI reflects high stability, and a wide interval reflects low stability. If the CIs around two IMRs being compared do not overlap, the difference between the two rates is statistically significant. The following table and chart illustrate the concept of statistically significant differences using actual data from 1989 and 1992-1998.

CONFIDENCE INTERVALS AND INFANT MORTALITY RATES

Comparison of Infant Mortality Rates and Confidence Intervals for Selected Years							
Year	IMR (per 1,000 births)	95% Confidence Interval					
1989	7.6	(7.0-8.2)					
1992	6.5	(6.0-7.0)					
1993	6.2	(5.7-6.7)					
1994	6.0	(5.4-6.5)					
1995	5.1	(4.6-5.6)					
1996	5.0	(4.5-5.5)					
1997	5.3	(4.8-5.8)					
1998	5.1	(4.6-5.6)					



Glossary

Abnormal Conditions

If at least one condition is recorded on the birth certificate from the following list: Acidosis, Anemia, Congenital infection, Cyanosis, Erb's Palsy, or other birth trauma, Fetal Alcohol Syndrome, Hyaline Membrane Disease /RDS, Hypotonia, Hypoxia, Intracrannial hemorrhage, Jaundice, Meconium aspiration syndrome, Positive toxicology screen, seizures, sepsis, tachypnea or other abnormal conditions.

Anemia

Hemoglobin level of less than 13.0g/dL, or a hemocrit of less than 39%.

Adequacy of Prenatal Care

The Index of Adequacy of Prenatal Care (based on the Kessner Index) has five categories (adequate, intermediate, inadequate, no prenatal care, and unknown), based on the trimester in which prenatal care began and the number of prenatal visits. It is a quantitative measure and is not a measure of quality of care. The general classification scheme for full-term infants is as follows:

Category	Trimester Care Began	Number of Visits
Adequate	1	9 or more
Intermediate	1	5-8
	2	5 or more
Inadequate	1	1-4
	2	1-4
	3	1 or more
No prenatal care		0
Unknown	Unknown	unknown

This classification is adjusted for gestational age to allow for proper classification of premature births.

Birthweight

The weight of an infant recorded at the time of delivery. It may be recorded in either pounds/ounces or grams. If recorded in pounds/ounces, it is converted to grams for use in this report.

1 pound = 453.6 grams

1,000 grams = 2 pounds and 3 ounces

Birthweight Categories

Low birthweight (LBW): An infant's weight of less than 2,500 grams (5.5

pounds) recorded at birth.

Very low birthweight (VLBW): An infant's weight of less than 1,500 grams (3.3

pounds) recorded at birth.

Breastfeeding

Mother was or was intending to breastfeed at the time the birth certificate was completed.

Cesarean Section or C-Section

Primary: A mother's first Cesarean section delivery.

Repeat: A Cesarean delivery that has been preceded by at least one Cesarean delivery.

Cesarean Section Rates

Total C-section rate = $\frac{\text{Number of C-section births}}{\text{Number of births}}$ X 100

Continental U.S-Born

Born in the continental United States (50 states or DC) not including women born in Puerto Rico, the Virgin Islands, or Guam.

Diabetes

Metabolic disorder characterized by excessive discharge of urine and persistent thirst; includes juvenile onset, adult onset, and gestational diabetes during pregnancy.

Early Gestational Age or Preterm

Infants born before the mother completed the 37th week of pregnancy.

Eclampsia

A medical condition that affects women during or shortly after pregnancy. The condition may involve hypertension, edema, proteinuria, convulsions and coma.

Education

The number of years of education completed is provided by the mother on the birth certificate by the mother. The analysis of education presented in this report is limited to women 20 years of age and older.

Ethnicity

See the section in the Technical Notes titled: Assignment of an Infant's Race/Ethnicity

Gestational Age

Gestational age refers to the number of weeks the infant was in utero. Infants born before the mother completed the 37th week of pregnancy are considered early gestational age or preterm.

HMO

Health Maintenance Organization

Healthy Start

A Massachusetts-funded program providing services and financing for prenatal care to low-income pregnant women who lack health insurance, but do not qualify for Medicaid.

Hepatitis B Carrier

An individual with ongoing evidence of infection with hepatitis B virus, as determined by the presence of hepatitis B surface antigen in the blood, likely to be more than six months after an acute episode of hepatitis B virus infection.

Hypertension

This includes both chronic and pregnancy-related hypertension or high blood pressure.

Jaundice

A syndrome characterized by high levels of bilirubin (a bilirubin count greater than 10) and a yellowing of the patient's skin.

Language Preference

Information on the mother's language preference is collected from the mother at the time of birth, based on the birth certificate question, "In what language does the mother prefer to read or discuss health-related materials?"

Live Birth

A live birth is any infant who breathes or shows any other evidence of life (such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles) after separation from the mother's uterus, regardless of the duration of gestation.

Low Birthweight (LBW)

See Birthweight Categories.

MISER

MISER is the acronym for the Massachusetts Institute for Social and Economic Research. MISER, which is the official state data center for the U.S. Census, generates the current population data for the number of Massachusetts residents.

NCHS

National Center for Health Statistics (U.S. Department of Health and Human Services, Centers for Disease Control and Prevention).

Non-continental U.S.-born

Born outside of the continental United States, including women born in Puerto Rico, the Virgin Islands, Guam and all other countries.

Pediatric Provider

Information is collected from the following item on the birth certificate: 'Pediatric Provider- Individual Practitioner's Name'.

Private Insurance

Commercial indemnity plan, commercial managed care (HMO, PPO/IPP/IPA, and other), or other private insurance.

Public Insurance

Government programs including Commonhealth, Healthy Start, Medicaid/MassHealth, and Medicare (may also be HMO or managed care), or free care.

Occurrence Birth

A birth occurring in the Commonwealth of Massachusetts, regardless of the residency of the mother. For individual cities/towns, an occurrence birth represents any birth occurring in that city/town, regardless of the residence of the mother. See Resident Birth.

Parity

The total number of live infants ever born to a woman, including the current birth.

Plurality

The number of births to a woman produced in the same gestational period. A singleton is the birth of one infant, twins represent the births of two infants, etc.

Race

See the section in the Technical Notes titled: Assignment of an Infant's Race/Ethnicity

Resident Birth

The birth of an infant whose mother reports her usual place of residence is in Massachusetts. In Massachusetts, a resident is a person with a permanent address in one of the 351 cities or towns. Vital statistics data may be presented in terms either of residence or occurrence. All data in this publication are resident data. Resident data include all events that occur to residents of the Commonwealth, wherever they occur. Occurrence data include all events that occur within the state, whether to residents or nonresidents. There is an exchange agreement among the 50 states, District of Columbia, Puerto Rico, Virgin Islands, Guam, and Canada that provides for exchange of copies of birth and death records. These records are used for statistical purposes only, and allow each state or province to track the births and deaths of its residents.

Small for Gestational Age

The measurement of "small for gestational age" refers to the weight of the infant after taking into consideration the number of completed weeks of pregnancy.

Smoking

Information on smoking status, both before pregnancy and during pregnancy, is provided on the birth certificate by the mother.

Very Low Birthweight (VLBW)
See Birthweight Categories.